Lecture Notes in Control and Information Sciences

251

Editor: M. Thoma

Springer

London

Berlin

Heidelberg

New York

Barcelona

Hong Kong

Milan

Paris

Santa Clara

Singapore

Tokyo

Arjan van der Schaft and Hans Schumacher

An Introduction to Hybrid Dynamical Systems

With 28 Figures

Springer

Series Advisory Board

A. Bensoussan · M.J. Grimble · P. Kokotovic · A.B. Kurzhanski ·
H. Kwakernaak · J.L. Massey · M. Morari

Authors

Arjan van der Schaft, Dr

Faculty of Mathematical Sciences (Systems, Signals and Control Group),
University of Twente, PO Box 217, 7500 AE Enschede, The Netherlands
and CWI, PO Box 94079, 1090 GB Amsterdam, The Netherlands

Hans Schumacher, Prof

Tilburg University, Center and Department of Economics, PO Box 90153,
5000 LE Tilburg, The Netherlands
and CWI, PO Box 94079, 1090 GB Amsterdam, The Netherlands

ISBN 1-85233-233-6 Springer-Verlag London Berlin Heidelberg

British Library Cataloguing in Publication Data

Schaft, A.J. van der

An introduction to hybrid dynamical systems. - (Lecture

Notes in control and information sciences ; 251)

1.Control theory 2.Systems engineering

I.Title II>Schumacher, Johannes

629.8'312

ISBN 1852332336

Library of Congress Cataloging-in-Publication Data

A catalog record for this book is available from the Library of Congress

Apart from any fair dealing for the purposes of research or private study, or criticism or review, as permitted under the Copyright, Designs and Patents Act 1988, this publication may only be reproduced, stored or transmitted, in any form or by any means, with the prior permission in writing of the publishers, or in the case of reprographic reproduction in accordance with the terms of licences issued by the Copyright Licensing Agency. Enquiries concerning reproduction outside those terms should be sent to the publishers.

© Springer-Verlag London Limited 2000

Printed in Great Britain

The use of registered names, trademarks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant laws and regulations and therefore free for general use.

The publisher makes no representation, express or implied, with regard to the accuracy of the information contained in this book and cannot accept any legal responsibility or liability for any errors or omissions that may be made.

Typesetting: Camera ready by authors

Printed and bound at the Athenæum Press Ltd., Gateshead, Tyne & Wear

69/3830-543210 Printed on acid-free paper SPIN 10742400

Preface

The term “hybrid system” has many meanings, one of which is: a dynamical system whose evolution depends on a coupling between variables that take values in a continuum and variables that take values in a finite or countable set. For a typical example of a hybrid system in this sense, consider a temperature control system consisting of a heater and a thermostat. Variables that would in all likelihood be included in a model of such a system are the room temperature and the operating mode of the heater (on or off). It is natural to model the first variable as real-valued and the second as Boolean. Obviously, for the temperature control system to be effective there needs to be a coupling between the continuous and discrete variables, so that for instance the operating mode will be switched to on if the room temperature decreases below a certain value.

Actually most of the dynamical systems that we have around us may reasonably be described in hybrid terms: cars, computers, airplanes, washing machines—there is no lack of examples. Nevertheless, most of the literature on dynamic modeling is concerned with systems that are either completely continuous or completely discrete. There are good reasons for choosing a description in either the continuous or the discrete domain. Indeed, it is a platitude that it is not necessary or even advisable to include all aspects of a given physical system into a model that is intended to answer certain types of questions. The engineering solution to a hybrid system problem therefore has often been to look for a formulation that is primarily continuous or discrete, and to deal with aspects from the other domain, if necessary, in an *ad hoc* manner. As a consequence, the field of hybrid system modeling has been dominated by patches and workarounds.

Indications are, however, that the interaction between discrete and continuous systems in today’s technological problems has become so important that more systematic ways of dealing with hybrid systems are called for. For a dramatic example, consider the loss of the Ariane 5 launcher that went into self-destruction mode 37 seconds after liftoff on June 4, 1996. Investigators have put the blame for the costly failure on a software error. Nevertheless, the program that went astray was the same as the one that had worked perfectly in Ariane 4; in fact, it was copied from Ariane 4 to Ariane 5 for exactly that reason. What had changed was the continuous dynamical system around the software, embodied in the physical structure of the new launcher which

had been sized up considerably compared to its predecessor. Within the new physical environment, the trusted code quickly led into a catastrophe.

Although the increasing role of the computer in the control of physical processes may be cited as one of the reasons for the increased interest in hybrid systems, there are also other sources of inspiration. In fact a number of recent developments all revolve in some way around the combination of continuous and discrete aspects. The following is a sample of these developments, which are connected in ways that are still largely unexplored:

- computer science: verification of correctness of programs interacting with continuous environments (embedded systems);
- control theory: hierarchical control, interaction of data streams and physical processes, stabilization of nonlinear systems by switching control;
- dynamical systems: discontinuous systems show new types of bifurcations and provide relatively tractable examples of chaos;
- mathematical programming: optimization and equilibrium problems with inequality constraints can fruitfully be placed within a regime-switching dynamic framework;
- simulation languages: element libraries contain both continuous and discrete elements, so that the numerical simulation routines behind the languages must take both aspects into account.

It is a major challenge to advance and systematize the knowledge about hybrid systems that comes from such a large variety of fields, which nevertheless from a historical point of view have many concepts in common.

Even though the overall area of hybrid systems has not yet crystallized, we believe that it is meaningful at this time to take stock of a number of related developments in an introductory text, and to describe these from a more unified point of view. We have not tried to be encyclopaedic, and in any case we consider the present text as an intermediate product. Our own background is clearly reflected in the choice of the developments covered, and without doubt the reader will recognize a definite emphasis on aspects that are of interest from the point of view of continuous dynamics and mathematical systems theory. The title that we have chosen is intended to reflect this choice. We trust that others who are more qualified to do so will write books on hybrid systems emphasizing different aspects.

This text is an expanded and revised version of course notes that we have written for the course in Hybrid Systems that we taught in the spring of 1998 as part of the national graduate course program of the Dutch Institute of Systems and Control. We would like to thank the board of DISC for giving us the opportunity to present this course, and we are grateful to the course participants for their comments. In some parts of the book we have relied heavily on work that we have done jointly with Kanat Çamlıbel, Gerardo Escobar,

Maurice Heemels, Jun-Ichi Imura, Yvonne Lootsma, Romeo Ortega, and Siep Weiland; it is a pleasure to acknowledge their contributions. The second author would in particular like to thank Gjerit Meinsma for his patient guidance on the intricacies of $\text{\LaTeX}$. Finally, for their comments on preliminary versions of this text and helpful remarks, we would like to thank René Boel, Peter Breedveld, Ed Brinksma, Bernard Brogliato, Domine Leenaerts, John Lygeros, Oded Maler, Sven-Erik Mattson, Gjerit Meinsma, Manuel Monteiro Marques, Andrew Paice, Shankar Sastry, David Stewart, and Jan Willems. Of course, all remaining faults and fallacies are entirely our own.

Enschede/Amsterdam, September 1999

Arjan van der Schaft
Hans Schumacher

Contents

List of Figures	xiii
1 Modeling of hybrid systems	1
1.1 Introduction	1
1.2 Towards a definition of hybrid systems	3
1.2.1 Continuous and symbolic dynamics	3
1.2.2 Hybrid automaton	6
1.2.3 Features of hybrid dynamics	9
1.2.4 Generalized hybrid automaton	12
1.2.5 Hybrid time evolutions and hybrid behavior	14
1.2.6 Event-flow formulas	18
1.2.7 Simulation of hybrid systems	24
1.2.8 Representations of hybrid systems	30
1.3 Notes and References for Chapter 1	34
2 Examples of hybrid dynamical systems	35
2.1 Introduction	35
2.2 Examples	35
2.2.1 Hysteresis	35
2.2.2 Manual transmission	37
2.2.3 Bouncing ball	37
2.2.4 Temperature control system	38
2.2.5 Water-level monitor	40
2.2.6 Multiple collisions	42
2.2.7 Variable-structure system	44
2.2.8 Supervisor model	46
2.2.9 Two carts	47
2.2.10 Coulomb friction	49
2.2.11 Systems with piecewise linear elements	50
2.2.12 Railroad crossing	51
2.2.13 Power converter	52
2.2.14 Constrained pendulum	54
2.2.15 Degenerate Van der Pol oscillator	55
2.3 Notes and References for Chapter 2	56

3	Variable-structure systems	57
3.1	Discontinuous dynamical systems	57
3.2	Solution concepts	59
3.3	Reformulations	62
3.4	Systems with many regimes	63
3.5	The Vidale-Wolfe advertizing model	65
3.6	Notes and references for Chapter 3	67
4	Complementarity systems	71
4.1	Examples	73
4.1.1	Circuits with ideal diodes	73
4.1.2	Mechanical systems with unilateral constraints	74
4.1.3	Optimal control with state constraints	75
4.1.4	Variable-structure systems	77
4.1.5	A class of piecewise linear systems	79
4.1.6	Projected dynamical systems	81
4.1.7	Diffusion with a free boundary	84
4.1.8	Max-plus systems	89
4.2	Existence and uniqueness of solutions	90
4.3	The mode selection problem	91
4.4	Linear complementarity systems	96
4.4.1	Specification	96
4.4.2	A distributional interpretation	100
4.4.3	Well-posedness	102
4.5	Mechanical complementarity systems	104
4.6	Relay systems	109
4.7	Notes and references for Chapter 4	110
5	Analysis of hybrid systems	111
5.1	Correctness and reachability	111
5.1.1	Formal verification	111
5.1.2	An audio protocol	113
5.1.3	Algorithms for verification	117
5.2	Stability	118
5.2.1	Lyapunov functions and Poincaré mappings	118
5.2.2	Time-controlled switching	122
5.2.3	State-controlled switching	124
5.3	Chaotic phenomena	129
5.4	Notes and references for Chapter 5	132
6	Hybrid control design	133
6.1	Safety and guarantee properties	134
6.1.1	Safety and controlled invariance	135
6.1.2	Safety and dynamic game theory	138
6.2	Switching control	140
6.2.1	Switching logic	140

- 6.2.2 PWM control 143
- 6.2.3 Sliding mode control 144
- 6.2.4 Quadratic stabilization by switching control 146
- 6.3 Hybrid feedback stabilization 147
 - 6.3.1 Energy decrease by hybrid feedback..... 148
 - 6.3.2 Stabilization of nonholonomic systems 151
 - 6.3.3 Set-point regulation of mechanical systems by energy
injection 156
- 6.4 Notes and References for Chapter 6 158
- Bibliography** 159
- Index** 171

List of Figures

1.1	Finite automaton	5
1.2	Hybrid automaton	8
1.3	Time evolution	16
1.4	Solutions of Filippov's example	29
1.5	Partitioning of the plane induced by implicit scheme	31
2.1	Hysteresis	36
2.2	Control system with hysteresis as a hybrid automaton	36
2.3	Temperature-thermostat system as a hybrid automaton	39
2.4	Water-level monitor	41
2.5	Collision to an elastic wall	45
2.6	Supervisor model	46
2.7	Two carts	48
2.8	Coulomb friction characteristic	49
2.9	Boost circuit with clamping diode	52
2.10	Ideal diode	52
2.11	Pendulum constrained by a pin	55
3.1	Trajectories for Vidale-Wolfe example.	68
4.1	Values of an American put option	89
4.2	Two carts with stop and hook	107
4.3	Tangent plane	107
5.1	Reachable set and avoidance set for audio protocol	116
5.2	Trajectory of a switched system	123
5.3	Trajectories of two linear systems	127
6.1	Switching control	141
6.2	Switching control with shared controller state	141
6.3	Hybrid feedback for the harmonic oscillator	149
6.4	An alternative hybrid feedback	149
6.5	A typical partition of Ω	155