

Proceedings of the Twenty-Fourth
International Cryogenic Engineering Conference
and
International Cryogenic Materials Conference 2012

ICEC 24 - ICMC 2012

Fukuoka, Japan, 2012

May 14-18 2012
Fukuoka, Japan



ICEC 24 - ICMC 2012

Edited by:

K. Funaki, A. Nishimura, Y. Kamioka, T. Haruyama and H. Kumakura



Cryogenics and Superconductivity Society of Japan

Contents

Preface	xvii
International Cryogenic Engineering Committee	xix
International Cryogenic Materials Committee	xx
Local Scientific Committee	xxi
Local Organizing Committee and Local Steering Committee	xxii
Local Executive Committee	xxiii
Supporters and Sponsors	xxiv
Exhibitors	xxv
Conference Snaps	xxvii
PLENARY	
Challenges for Cryogenics in the Nuclear Fusion Quest: the ITER Cryogenic System	1
<i>Serio L. on behalf of ITER Organization, Domestic Agencies and Collaborators</i>	
Low Temperature Cooling for Space Missions: from Mechanical Coolers to Sub-Kelvin Cooling	9
<i>Shirron P.J.</i>	
From Early Superconducting Magnets to MRI	17
<i>Sir Wood M., FRS, HonFREng</i>	
New Maglev Transportation System in Japan	25
<i>Masada E.</i>	
Topics of Superconductors in Japan Since 3.11 Fukushima	27
<i>Kitazawa K.</i>	
Conductors for Very High Field Magnets	29
<i>Larbalestier D.C.</i>	
INSTRUMENTATION AND PROCESS CONTROL	
Temperature Control and Stabilization in Cryostat Equipped with Cryocooler	31
<i>Dong B., Liu L.Q., Xiong L.Y., Zhou G., Zhang X., Zhang L.</i>	

Main Consolidations and Improvements of the Control System and Instrumentation for the LHC Cryogenics	35
<i>Fluder C., Blanco E., Bremer J., Bremer K., Ivens B., Casas-Cubillos J., Claudet S., Gomes P., Ivens B., Perin A., Pezzetti M., Tovar-Gonzalez A., Vauthier N.</i>	
Temperature Measurement at Cryogenic Temperature Using Optical Fiber Sensor	39
<i>Yamada H., Ogata M., Mizuno K., Nagashima K.</i>	
Investigation of Thermal Cycling Response and Stability of Polymer Coated Fiber Bragg Grating Sensors at Cryogenic Temperatures	43
<i>Ramalingam R.</i>	
CRYOLIB: A Commercial Library for Modelling and Simulation of Cryogenic Processes with EcosimPro	47
<i>Bradu B., Avezuela R., Blanco E., Cobas P., Gayet P., Veleiro A.</i>	
Preliminary Test of Hot-Wire Type Flow-Meter for Liquid Hydrogen	51
<i>Murakami K., Shirai Y., Takegami T., Hikawa K., Shiotsu M., Tatsumoto H., Hata K., Kobayashi H., Naruo Y., Inatani Y., Narita N.</i>	
Measurement of Specific Heat by Adiabatic and Non-Adiabatic Techniques Based on Cryocooler	55
<i>Liu H., Xu D., Xu P., Xu X., Li L., Gong L.</i>	
Thermal Response of MgB₂ Level Sensor for Liquid Hydrogen Using External Heater	59
<i>Maekawa K., Takeda M., Matsuno Y., Fujikawa S., Kuroda T., Kumakura H.</i>	
Distributed Cryogenic Temperature Measurements with 2 cm Spatial Resolution Using Optical Fiber Hybrid Brillouin-Rayleigh Sensing System	63
<i>Takami R., Yamada H., Nagashima K., Yamauchi Y., Kishida K.</i>	
A Method of Phase Control for Opposed-exciting Thermoacoustic Stirling Refrigerator	67
<i>Qing E., Qing L., Feng W., YiNan Q.</i>	
Application of Cryogenic Technologies for Multiphase Diagnostics in Oil Production Industry	71
<i>Filippov Y.P., Panferov K.S.</i>	
Test of LR 280 Refrigeration System with kW-Class Cooling Capacity at 5-77K for Conduction-Cooling of Superconducting Magnets	75
<i>Kawae T., Sato S., Matsuo M., Funaki K., Iwakuma M., Kinoshita M., Fushimi T.</i>	
Characterisation of Flexible Transfer Lines for Liquid Helium	79
<i>Dittmar N., Haberstroh C., Hesse U.</i>	
Development of Neon Refrigerator with LN Sub-Cooler for HTS Power Equipments	83
<i>Hirai H., Yoshida S., Ozaki S., Hirokawa M., Iwamoto K., Nara N., Hayashi H., Okamoto H., Shiohara Y.</i>	
Cryogenic Test Facility for Pump and Valve	87
<i>Hong Y.J., Ko J., Park S.J., Koh D.Y.</i>	
Optimizing the Geometry of Venturi Tube Flow Meters	91
<i>Müller R., Schrank M., Süßner M.</i>	
Energy Storage Unit Using Cryogenic Liquids for Integration in Cryocoolers	95
<i>Afonso J., Martins D., Catarino I., Patrício R., Rocaboy A., Linder M., Tirolien T., Bonfait G.</i>	

THERMOPHYSICAL PROPERTIES

- Determining Surface Emissivities at Cryogenic Temperatures by Using Optical Methods** 99
Richter G., Bernhard C., Holzer D., Marsik P., Mayrhofer R., Stipsitz J., Störi H., Wang C.
- Numerical Study of Cryogenic Slush Flow in a Horizontal Square Pipe for a High-Efficiency Hydrogen Energy System (SLUSH-3D)** 105
Ohira K., Ota A., Aoki I.
- Simulation of the Thermal Radiation Heat Load of a Large-scale Customized Cryopump with the Monte Carlo Ray Trace Method** 111
Luo X., Hauer V., Ochoa S., Day C.
- Supercritical Startup of a Cryogenic Thermosyphon Using N₂-Ar Binary Mixture as Working Fluid** 115
Long Z.Q., Zhang P.
- Visualization and Temperature Measurement during Vapor Bubble Growth in He II Film Boiling under Microgravity Condition** 119
Takada S., Kimura N., Mamiya M., Nozawa M., Okamura T., Murakami M.
- Measurements of Helium Adsorption on Charcoals under Cryogenic Conditions** 123
Okamura T., Okada R., Ohhata H., Takada S., Tomaru T., Kimura N., Hazumi M., Nakanishi T., Goto S.
- Negative Thermal Expansion Behavior of Mn₃(Cu_{0.6}Si_{0.15}Ge_{0.25})N with Different Sintering Temperatures** 127
Huang R.J., Zuo J.J., Chen Z., Li L.F.
- Low Temperature Thermoelectric Properties of Bi_{0.85}Sb_{0.15-x}Re_x Prepared by High Pressure Sintering** 131
Song C.M., Huang R.J., Chen Z., Li L.F.
- Ortho-Parahydrogen Conversion by Molecular Sieve and Activated Carbon** 135
Fessler J., Haberstroh C., Hesse U.
- Overcritical Current-Voltage Characteristics of HTSC Composite Tapes Measured by a Pulse Method** 139
Trojanowski S., Ciszek M., Lubin T.
- The Thermal Conductivity of Perlite Insulation under Varying Conditions of Temperature, Humidity and Packing Density** 143
Bailey W., Bostock T., Mears I., McDonald P.
- HEAT TRANSFER AND THERMAL PROPERTIES OF FLUID**
- Experimental Optimization of Variable Density Multilayer Insulation at Cryogenic Temperatures** 147
Huang Y.H., Li J., Zhu H.W., Wu J.Y., Li P.
- The Impact of Mounting and Sealing on the Free Convective Heat Transfer in Inclined High-Pressure Connection Pipes** 153
Langebach R., Haberstroh C.
- Effect of a Heated Pipe Length on DNB Heat Flux in Forced Flow of Liquid Hydrogen** 157
Tatsumoto H., Shirai Y., Shiotsu M., Hata K., Naruo Y., Kobayashi H., Inatani Y., Narita N.

Heat Transfer Property of Cylindrical Bar with Various Surface Shapes in Liquid Nitrogen	161
<i>Fujisaka H., Shirai Y., Shiotsu M., Hasegawa K., Isojima S., Noguchi K., Matsubara K.</i>	
Heat Transfer Characteristic Test of Forced Flow Supercritical Hydrogen for Superconductor Cooling	165
<i>Shiotsu M., Takegami T., Hikawa K., Shirai Y., Tatsumoto H., Hata K., Kobayashi H., Naruo Y., Inatani Y.</i>	
Experimental Study on Heat Transfer of Supercritical Methane Cooled in a Horizontal Tube	169
<i>Du Z., Lin W., Gu A.</i>	
Thermodynamic Characterizations of an Autonomous Cryogenics Loop	173
<i>Song Y., Four A., Baudouy B.</i>	
Phase Equilibria in Binary Mixtures at Cryogenic Temperatures	177
<i>Tzabar N.</i>	
Development of a Giauque-Hampson Heat Exchanger for a Cryocooler Based Helium Recondensation System	181
<i>Jacob S., Narasimham G.S.V.L., Karunanithi R., Kranthi K.J., Damu C., Achanur M., Shabarish N.</i>	
Thermal Radiation Heat Transfer through a Slot between Multilayer Insulation Blankets	185
<i>Ohmori T., Kodama K., Kitagawa T., Yamamoto A., Takada S., Nakada Y., Hariyama Y., Motoyama S., Nojiri K., Matsuyama A.</i>	
Two-Phase Flow Boiling Heat Transfer Characteristics of Propane in a Smooth Horizontal Tube	191
<i>Wang S., Gong M., Chen G., Wu J., Sun Z., Zou X.</i>	
Experimental Investigation of the Flow Characteristics of Slush Nitrogen in a Horizontal Pipe of 10.0 mm in Diameter	195
<i>Zhang P., Jiang Y.Y.</i>	
An Experimental Study of Self-Induced Oscillation in He II	199
<i>Widodo C.S., Hiraoka T., Fujii M., Okada K.</i>	
Over-Current Characteristics of MgB₂ Wire Cooled by Liquid Hydrogen	203
<i>Hikawa K., Shirai Y., Takegami T., Shiotsu M., Tatsumoto H., Hata K., Kobayashi H., Naruo Y., Inatani Y., Narita N.</i>	
MAGNETIC COOLING AND SPACE CRYOGENICS	
Preliminary Thermal Testing of a High Frequency Two Stage Coaxial Pulse Tube for Earth Observation Missions	207
<i>Charles I., Ercolani E., Daniel C.</i>	
Superfluid Helium Dewar for the Soft X-ray Spectrometer Onboard ASTRO-H	211
<i>Yoshida S., Tsunematsu S., Kanao K., Otsuka K., Miyaoka M., Hoshika S., Mitsuda K., Yamasaki N., Takei Y., Fujimoto R., Sato Y.</i>	
Development of Dielectric X-ray Microcalorimeter	215
<i>Sekiya N., Yamasaki N.Y., Mitsuda K., Kawasaki S., Takei Y., Sakai K., Sato K., Maehata K., Takashima H.</i>	

A Modeling Study of Multi-Layered AMR Bed	219
<i>Sonoda K., Li J., Yanagisawa Y., Nakagome H., Numazawa T., Matsumoto K.</i>	
A Modeling Study on the Geometry of AMR Regenerator: Comparison of Flat Plate and Packed Sphere Regenerator	223
<i>Li J., Numazawa T., Matsumoto K., Yanagizawa Y., Nakagome H.</i>	
Magnetocaloric Properties of $\text{La}(\text{Fe}_x\text{M}_y\text{Si}_{1-x-y})_{13}$ (M=Ga, Co)	227
<i>Matsumoto K., Yamada K., Nishimura Y., Kawata N., Zhu Y., Numazawa T., Takata H., Irie T., Nakamura E.</i>	
1-D Transient Analysis of Multi-Layer Active Magnetic Regenerator Refrigerator	231
<i>Bothale A., Atrey M.D.</i>	
Development of a Compact Dry ^3He-^4He Dilution Refrigerator for a TES Microcalorimeter X-ray Spectrometer for Analytical Transmission Electron Microscopy	235
<i>Maehata K., Iyomoto N., Matsumura S., Yamanaka Y., Ito T., Hara T., Mitsuda K., Yamasaki N., Tanaka K.</i>	
Novel Instantaneous Analysis of Pressure –Volume-Temperature Gauging Method	239
<i>Seo M., Park H., Jung Y., Jeong S.</i>	
Tilting Dependence of Cooling Power of Commercial Two-Stage 4K Pulse Tube Cryocooler on Radio Telescope	243
<i>Takada S., Tomaru T., Suzuki J., Toyoda K., Murakami I.</i>	
NEW DEVICES AND NOVEL CONCEPTS	
First in the World Prototype of the Hydrogen – Superconducting Energy Transport System	247
<i>Vysotsky V.S., Nosov A.A., Fetisov S.S., Svalov G.G., Antyukhov I.V., Firsov V.P., Blagov E.V., Kostyuk V.V.</i>	
A Liquid Helium Circulation System for Low Temperature Physics Devices	253
<i>Takeda T., Okamoto M., Miyazaki T., Morita N., Katagiri K.</i>	
Improvement of Xenon Purification System Using a Combination of a Pulse Tube Refrigerator and a Coaxial Heat Exchanger	259
<i>Chen W.-T., Briend P., Chbib D., Cussonneau J.-P., Donnard J., Duval S., Haruyama T., Lemaire O., Le C.M., Le R.P., Mihara S., Mohamad-Hadi A.-F., Morteau E., Oger T., Scotto-Lavina L., Stutzmann J.-S., Tauchi T., Thers D.</i>	
Cryogenic Commissioning of the Differential Pumping Section for the KATRIN Experiment	263
<i>Putselyk S., Neumann H.</i>	
Purification of Argon from a Diluted Stream	267
<i>Montanari D., Alton A., Back H.O., Davis R.P., Galbiati C., Goretti A., Hardin K.L., Jaskierny W.F., Kendziora C.L., Loer B., Miner W.E., Mosteiro P.J., Pordes S.H., Subbarao P.</i>	
Investigation of a Flat-Plate Cryogenic Oscillating Heat Pipe	271
<i>Natsume K., Yanagi N., Tamura H., Mito T.</i>	
Refrigerator for Movable Mine Refuge Chamber	275
<i>Yang J.L., Wei J., Ma Y.Z., Chen Y.Y., Yang L.W., Zhang Z.T.</i>	

Functionally Graded Stainless Steel Bars Obtained by Strain Induced Phase Transformation at Cryogenic Temperatures	279
<i>Ortwein R., Skoczniak B.</i>	
Grand Canonical Monte Carlo Simulation of Adsorption of Helium on Cryogenic Argon Frost	283
<i>Tang J.C., Xiong L.Y., Peng N., Liu L.Q., Zhang L., Dong B.</i>	
A Multi-Stage Precooling Helium Liquefaction System with Five 4K G-M Cryocoolers	287
<i>Xu D., Gong L.H., Li L.F., Xu X.D., Liu H.M., Xu P.</i>	
Upgrade of the Liquid Helium Storage for the Large Hadron Collider	291
<i>Barth K., Benda V., Claudet S., Pezzetti M., Pirotte O., Vullierme B.</i>	
Storage of Supercritical Helium	295
<i>Quack H., Dhard C.P.</i>	
New Cryogenic Test Station at CERN for Superconducting Magnets and Their Components	299
<i>Bajko M., Charrondiere M., Benda V., Giloux C., Thiesen H.</i>	
CRYOCOOLERS	
Accuracy of the Approximation Function Deduced from the Fixed 3-points Calibration Delivered with the Cernox™ Sensor	303
<i>Balle C., Casas J., Fortescue-Beck E., Vauthier N.</i>	
Compilation of an Uncertainty Budget for Cryogenic Temperature Measurements	307
<i>Schrank M., Stjober M.</i>	
Synchronous Measurements of Liquid Level, Temperature and Pressure inside a 2000 Liter Liquid Hydrogen Tank During a Truck Transportation	311
<i>Takeda M., Fujikawa S., Matsuno Y., Maekawa K., Kuroda T., Kumakura H.</i>	
Controlled Actuation of a Gas-Gap Heat Switch	315
<i>Martins D., Catarino I., Franco J., Ribeiro L., Bonfait G.</i>	
Two-Stage and Mixed-Gas Single-Stage Microcooler Developments	319
<i>ter Brake H.J.M., Cao H.S., Derking J.H., Holland H.J., Zalewski D.R., Vermeer C.H., Vanapalli S., Lerou P.P.P.M., Tirolien T., Crook M.R.</i>	
Development of Tubes in Tube Type Printed Circuit Heat Exchanger for Mixed Refrigerant Joule Thomson Cryocooler	325
<i>Baek S., Jeong S.</i>	
Application of Overflow in Multi-cylinder Mini Compressor	329
<i>Wang W., Zhang Y.L.</i>	
Preliminary Study on a Novel Pulse Tube Cryocooler Based on Optical Fibers	333
<i>Jin T., Huang J.L., Tang K., Shen W.</i>	
Development of High Capacity Stirling-type Pulse Tube Cryocooler System	339
<i>Yamamoto H., Ishiwata H., Iwata N., Masuyama S., Tamada T., Shikimachi K., Hirano N., Nagaya S.</i>	
Correlations of Friction Factor for Inertance Tube in Pulse Tube	343
<i>Chen Y., Yu L., Wang X., Dai W., Luo E.</i>	

Effect of Non-Uniform Porosity on Temperature Inhomogeneity in the Regenerator of High Power Stirling Type Pulse Tube Cryocoolers	347
<i>Fang K., Qiu L.M., Liu D.H., Sun J.C., Gan Z.H.</i>	
Development of a 19.3 K Single-Stage High-Frequency Multi-Bypass Pulse Tube Cryocooler	351
<i>Jin H., Chen L., Wang J., Zhou Y.</i>	
Numerical Simulations of High Frequency Multi-Bypass Pulse Tube Cryocooler	355
<i>Chen L.B., Jin H., Ji W., Wang J.J., Zhou Y.</i>	
Investigation on the Influence of Pre-Cooler for Thermal-Coupled Multi-Stage High Frequency Pulse Tube Cryocooler	359
<i>Quan J., Liu Y., Zhao M., Chen H., Liang J.</i>	
Investigations on the Interaction Between High Frequency Pulse Tube Cold Fingers and Their Driving Compressors	363
<i>Dang H.Z., Song Y.Y., Zhou B.L., Zou R.Q.</i>	
Analysis and Experimental Study for Effect of Coating in Pulse Tube of Pulse Tube Refrigerator	367
<i>Ki T., Jeong S.</i>	
Application of Laser Triangulation in Piston Displacement and PV Power Measurements of Linear Compressor in a Pulse Tube Refrigerator	371
<i>Qin N., Chen H.L., Cai J.H.</i>	
Improvement of Single-Stage Active Buffer Pulse-Tube Cryocooler for HTS Magnet of Maglev	375
<i>Miyazaki Y., Ikeda K., Mizuno K., Nagashima K., Takahashi S., Hirai Y.</i>	
Performance Upgradation of a Linear Motor Pressure Wave Generator and Development of an Acoustically Matched Pulse Tube Cryocooler	379
<i>Jacob S., Narasimham G.S.V.L., Karunanithi R., Kranthi K.J., Damu C., Achanur M., Shabarish N.</i>	
A Multistage Thermoacoustic Engine that Enables Energy Conversion with High Acoustic Impedance and Traveling Wave within all Resonators	383
<i>Kaneko T., Hasegawa S., Yamaguchi T., Oshinoya Y.</i>	
Design of Twin Pulse Tube Cooler for 3 W @ 77 K	387
<i>Gour A.S., Karunanithi R., Jacob S.</i>	
Experimental Evaluation of Performance of Double-Loop Thermoacoustic Refrigerator Driven by Multistage Thermoacoustic Engines	391
<i>Sato M., Hasegawa S., Yamaguchi T., Oshinoya Y.</i>	
Comparative Numerical Simulation of Inline and Coaxial Pulse Tube Refrigerators	395
<i>Gu C., Zhou Y., Wang J.J., Jin H., Zhou Q.</i>	
Development of the very low Vibration Cryocooler Unit for Large-Scale Cryogenic Gravitational Wave Telescope, KAGRA	399
<i>Kume T., Koike S., Kimura N., Suzuki T., Sakakibara Y., Tokoku C., Yamamoto K., Tanaka M., Ohashi M.</i>	
Development of High-Efficiency 4K GM Cryocoolers	403
<i>Xu M., Morie T.</i>	

Liquid Hydrogen Moderator for the European Spallation Source, ESS	407
<i>Hansson T., Gallimore S., Plewinski F., Zanini L., Darve C., Hees W., Nilsson P., Sabbagh P., Jacobsson P., Lindroos M., Mezei F., Takibayev A., Batkov K., Bermejo F.J., Sordo F., Vicente J.P. de, Beßler Y.</i>	
Heat-Exchanger Design of 10 kW Brayton Cryocooler for HTS Cable Application	411
<i>Chang H.M., Park C.W., Yang H.S., Hwang S.D.</i>	
New Sunpower CryoTel® DT Cryocooler	415
<i>Kim S., Unger R., Wiseman R.</i>	
Analysis of Temperature Annular Effect of Oscillatory Flow in Circular Channel	419
<i>Tang K., Tang W.T., Jin T., Yu J.</i>	
4K-GM Cryocooler Performances with HoN Spheres as a Regenerator Material	423
<i>Nakano T., Hirayama Y., Izawa T., Nakagawa T., Yamamoto T.A., Fujimoto Y., Masuyama S., Irie T., Nakamura E.</i>	
Experimental Research on a Miniature Cryogenic J-T Cryocooler	427
<i>Zhou Z.J., Wang J., Liu Y.J., Chen H.L., Liang J.T.</i>	
Development of a Mixed-Gases Joule-Thomson Refrigerator for Cooling Down Temperature -Distributed Heat Loads from Ambient Temperature to 80 K	431
<i>Gong M., Cheng K., Hu Q., Dong X., Du M., Chen G., Wu J.</i>	
Cooling Characteristics of ³He Joule-Thomson Cryocooler	435
<i>Shimazaki T.</i>	
LARGE SCALE REFRIGERATION, LIQUEFACTION	
Energy Efficiency of Large Cryogenic Systems: the LHC Case and Beyond	439
<i>Claudet S., Brodzinski K., Ferlin G., Lebrun P., Taviani L., Wagner U.</i>	
Modification and Extension of the Hera Plant for the Xfel Experiment	445
<i>Blum L., Petersen B., Schnautz T.</i>	
Improvements of the LHD Cryogenic System for Further Highly Reliable Operations	449
<i>Mito T., Iwamoto A., Hamaguchi S., Imagawa S., Takahata K., Yanagi N., Yamada S., Moriuchi S., Oba K., Takami S.</i>	
Updated Risk Analysis of the LHC Cryogenic and Helium Distribution System	453
<i>Chorowski M., Piotrowska A., Taviani L.</i>	
Steady and Dynamic Simulation of SNS Helium Refrigerator	457
<i>Qiu Y.N., Hu Z.J., Zhang N., Li Q., Qing E.</i>	
Qatar Helium Plant De-Bottlenecking Project	461
<i>Grabić V., Gaillard G., Delcayre F., Toia J.-L., Andrieu F.</i>	
First Operational Experience with the Cryogenic System of a Large Solid Deuterium Moderator for a New Ultracold Neutron Source	465
<i>Blau B., Anghel A.</i>	
Dynamic Simulation of Helium Liquefier Equipped with Integrated Purifier	469
<i>Nobutoki M., Higaki H.</i>	
Helium Extraction and Production Techniques from Purge Gas of Air Separation Plant	473
<i>Hu Z.J., Qiu Y.N., Zhang N., Li Q.</i>	

Development of a Cryogenic Experimental System for Helium Turbo-Expander	477
<i>Xiong L., Huo Z., Jiang Y., Lu W., Peng N., Sun L., Lei L., Dong B., Li J., Tang J., Liu L., Liu X.</i>	
Hybrid Model of Structured Packing Column for Cryogenic Air Separation	481
<i>Wu Z., Qiu L.M., Zhang X.B.</i>	
Oxygen Production for Oxy-Combustion Applications	485
<i>Chorowski M., Gizicki W.</i>	
Applicability of a Thermal and Compressible Flow Model for Helium Recovery System Calculations	489
<i>Fydrych J., Chorowski M.</i>	
The Setup of the Test-Bed for the Inner Purifier of the Helium Liquefier	493
<i>Xu P., Xu D., Liu H., Gong L., Li Q., Chen J., Gao J.</i>	
 MAGNET TECHNOLOGY	
Restoration of the SKS Superconducting Magnet from the Disaster of the 2011 off the Pacific Coast of Tohoku Earthquake	497
<i>Aoki K., Iwasaki R., Suzuki S., Araoka O., Takahashi T., Makida Y.</i>	
Development of 5 T-class REBCO Coil Using Around 50 K	503
<i>Ogata M., Mizuno K., Nagashima K., Fujihira S., Fujihira J., Uchida A.</i>	
Evaluation of Thermal Stability of Conduction-Cooled REBCO Coil with 0.3-mm-thick Stabilizer	507
<i>Daibo M., Fujita S., Haraguchi M., Hidaka H., Iijima Y., Itoh M., Saitoh T.</i>	
Development of Coated Conductor Coils without Electrical Insulation	513
<i>Uglietti D., Wesche R., Bruzzone P.</i>	
Performance Degradation-free YBCO Coil Impregnation Method Using Cyanoacrylate	517
<i>Mizuno K., Ogata M., Nagashima K.</i>	
Modeling of AC Transport Losses in 5 T-class Bi-2223 Superconducting Coils	521
<i>Kurawaki M., Kajikawa K., Iwakuma M., Funaki K., Hayashi T., Kato T., Fujino K.</i>	
Development of a 3T MRI Magnet Wound with Bi-2223 Tape Conductors	525
<i>Terao Y., Ozaki O., Ichihara C., Kawashima S., Hase T., Kitaguchi H., Kobayashi S., Sato K., Urayama S., Fukuyama H.</i>	
Design and Manufacturing of Superconducting Magnets for Magnetic Resonance Imaging System	529
<i>Yamamoto S., Konii K., Tanabe H., Yokoyama S., Matsuda T.</i>	
Design Study of SMES System Using MgB₂ Conductors for Compensating Fluctuation of Renewable Energy	533
<i>Ota N., Tanoue N., Takao T., Makida Y., Shintomi T., Hamajima T., Tsuda M., Miyagi D., Munakata K., Kajiwara M.</i>	
2D-Axisymmetric and 3D Thermal and Mechanical Finite Element Analysis of the Superconducting Outsert Coil of the Lncmi Hybrid Magnet	537
<i>Pes C., Fazilleau P., Hervieu B., Mayri C.</i>	
Experimental Measurement for Heat Leak of Gas-Cooled Current Leads	541
<i>Li Z.M., Zhang H.J., Qiu M., Gong L.H.</i>	

FUSION

First Results of SST-1 Magnets	545
<i>Pradhan S., Sharma A., Doshi K., Prasad U., Khan Z., Khristi Y., Jaiswal S., Parekh T., Makwana A., Dodhia C., Tanna V., Patel D.</i>	
Experimental Investigations for Smoothing Pulsed Heat Loads on Cryogenic Circuits of Superconducting Magnets in JT-60SA Tokamak	551
<i>Hoa C., Lagier B., Michel F., Rousset B., Monteiro L., Bon-Mardion M., Bonnay P., Poncet J.-M., Girard A., Roussel P., Vallcorba-Carbonell R.</i>	
Progress of Helium Refrigeration System for Wendelstein 7-X	555
<i>Dhard C.P., Raatz S., Nagel M., Nuesslein U.G.</i>	
Pressure Drop Characteristic of the ITER Cable-in-conduit Conductor	559
<i>Hamada K., Kawano K., Ebisawa N., Nakajima H., Yano Y., Yamaguchi T.</i>	
Investigation of Mitigation Technique for the ITER TF Structure Cooling Circuits	563
<i>Maekawa R., Takami S., Oba K., Iwamoto A., Chang H.S., Forgeas A., Chalifour M., Serio L.</i>	
Numeric Thermo-Fluidic Modeling of the ITER Cryogenic Vacuum Pumps	567
<i>Wikus P., Canadell F., Dremel M., Lässer R., Mayaux C., Papastergiou S., Pearce R., Sekachev I., Teissier A.</i>	
Manufacturing of JT-60SA Equilibrium Field Coils	571
<i>Hasegawa M., Horii H., Nomoto K., Imai Y., Murai T., Minato T., Kuno K., Tsuchiya K., Murakami H., Kizu K., Yoshida K.</i>	
Current Sharing Temperature of Central Solenoid Conductor for JT-60SA under Repetition Excitation	575
<i>Murakami H., Kizu K., Ichige T., Kamiya K., Tsuchiya K., Yoshida K., Obana T., Hamaguchi S., Takahata K., Yanagi N., Mito T., Imagawa S.</i>	
Numerical Analysis of the DC Performance of JT-60SA CS Conductor Sample	579
<i>Obana T., Rolando G., Lanen E.V., Nijhuis A., Takahata K., Kizu K., Murakami H., Yoshida K.</i>	
Study on Optimization of Contact Conditions between CIC Conductors at Joint Region	583
<i>Arai D., Nakazawa S., Morimura T., Miyagi D., Tsuda M., Hamajima T., Yagai T., Nunoya Y., Koizumi N., Takahata K., Obana T.</i>	
Design of JT-60SA Thermal Shield and Cryodistribution	587
<i>Kamiya K., Onishi Y., Ichige T., Furukawa M., Murakami H., Kizu K., Tsuchiya K., Yoshida K., Mizumaki S.</i>	
Dynamic Analysis of the Propagation Velocity of the LHD Helical Coil	591
<i>Imagawa S.</i>	
Dynamic Simulation of the ITER Helium Cryogenic System under Pulsed Heat Loads	595
<i>Booth W., Bradu B., Blanco E., Gayet P., Maekawa R., Serio L., Chang H.S., Chalifour M.</i>	
Design Specification of the ITER Cryodistribution Cold Rotating Machines	599
<i>Chang H.-S., Monneret E., Forgeas A., Maekawa R., Bonneton M., Fauve E., Chalifour M., Serio L., Park D.-S., Joo J.-J., Moon K.-M., Park Y.-M.</i>	
Design of the Helium Distribution System inside the Wendelstein 7-X Cryostat	603
<i>Nagel M., Ihrke M.</i>	

Dynamic Modelling of a Forced Flow Supercritical Helium Loop with EcosimPro*	607
<i>Lagier B., Hoa C., Rousset B.</i>	
Extenuation Mechanism of Energy Pulses in Cryogenic Distribution System of the Fusion Devices	611
<i>Bhattacharya R., Sarkar B., Vaghela H., Badgajar S., Shah N.D., Saxena Y.C.</i>	
CELLO Cold Box Performances in ‘Pure Refrigeration’ and ‘Unbalanced’ Modes	615
<i>Juster F.P., Abdel Maksoud W., Génini L., Lannou H., Médioni D., Serrand A.</i>	
Cryogenics Related Development and Test Activities for the SST-1 Refurbishment	619
<i>Tanna V.L., Tank J., Panchal R., Patel R., Mahesuriya G., Sonara D., Patel J.C., Gupta N.C., Gupta M.K., Christian D., Srikanth G.L.N., Bairagi N., Garg A., Singh M., Patel K., Sharma R., Nimavat H., Shah P., Panchal P., Pradhan S.</i>	
Performance of Large-Scale Helium Refrigerators Subjected to Pulsed Heat Load from Fusion Devices	625
<i>Dutta R., Ghosh P., Chowdhury K.</i>	
ACCELERATORS	
Cryogenic Beam Screens for High-Energy Particle Accelerators	629
<i>Baglin V., Lebrun P., Taviani L., van Weelderden R.</i>	
Fabrication and Commissioning of a Superconducting Curved Magnet for the Super Omega Muon Beam Line at J-PARC	635
<i>Makida Y., Ikedo Y., Ogitsu T., Shimomura K., Miyake Y., Yoshida M., Adachi T., Kadono R., Kawamura N., Strasser P., Koda A., Fujimori H., Nishiyama K., Ohhata H., Okamura T., Okada R., Orikasa T.</i>	
Final Steps Towards Cool-Down of the New Injector Module for the S-DALINAC	641
<i>Eichhorn R., Kuerzeder T., Conrad J., Hug F., Sievers S.</i>	
Superconducting Linear Accelerator at Delhi : Performance Status of Beam Line Cryomodules	645
<i>Datta T.S., Antony J., Babu S., Chacko J., Choudhury A., Kar S., Kumar M., Roy A.</i>	
Cryogenics for the New European Spallation Source	649
<i>Darve C.</i>	
ARIEL E-Linac Cryogenic System Development at TRIUMF	653
<i>Bylinskii Y., Koscielniak S., Koveshnikov A., Laxdal R., Sekachev I., Sitnikov A., Yosifov D.</i>	
Deflection Measurement of the Cryogenic Pipe in the ILC-type Cryomodule	657
<i>Tsuchiya K., Kondo Y., Terashima A., Ohuchi N., Hayano H., Kojima Y., Nakai H., Hara K., Hisamatsu H., Zong Z.G.</i>	
Simulation Study of Cool-down of the CLIC Wiggler Magnets	661
<i>Liu L., Perin A., Weelderden R., Xiong L.</i>	
First Measurements of Beam-Induced Heating on the LHC Cryogenic System	665
<i>Brodzinski K., Taviani L.</i>	
Design of an Accumulator for CSNS Cryogenic System	669
<i>Xiao J., Wang G.P., Zhang Y., He C.C., Sang M.J., He K., Li S.P.</i>	
Conceptual Design of the Cryogenic System for the ADS System Injector II	673
<i>Peng N., Guo X.H., Jin T., Su H.L., Niu X.F., Han Y.N., Xiong L.Y., Liu L.Q.</i>	

Cryogenics for FAIR	677
<i>Kauschke M., Xiang Y., Schroeder C.H.</i>	
Cryogenic Concept of the Berlin Energy Recovery Linac Project	681
<i>Pflueckhahn D., Anders W., Knobloch J., Rotterdam S.</i>	
Neutron Irradiation Effects in Aluminum Stabilizer of Superconducting Cable for the COMET Experiment at J-PARC	685
<i>Yoshida M., Nakamoto T., Ogitsu T., Iio M., Mihara S., Nishiguchi H., Sugano M., Yoshimura K., Aoki M., Itahashi T., Kuno Y., Sato A., Kuriyama Y., Mori Y., Xu Q., Qin B., Sato K., Yoshiie T.</i>	
Study on Helium Vapor Cooled Current Lead with HTS Wire for the SuperKEKB IR Correctors	689
<i>Zong Z., Ohuchi N., Tsuchiya K., Higashi N., Iwasaki M., Tawada M., Yamaoka H., Arimoto Y.</i>	
 SUPERCONDUCTOR APPLICATIONS	
Recent Progress of Liquid Nitrogen Cooling System for Yokohama HTS Cable Project	693
<i>Nakamura N., Shimoda M., Komagome T., Ohno R., Yaguchi H., Ichikawa H., Mimura T., Hara T., Watanabe M., Masuda T.</i>	
Magnetic Force Control Technology for Recycling Materials	697
<i>Nishijima S.</i>	
Bi-2223/AgAu Current Leads for Cryocooled Superconducting Magnet	703
<i>Tsurudome T., Yoshida J., Ookubo H., Mikami Y., Sakuraba J.</i>	
Long Term Performance Test of Cooling System for HTS Power Cable in the KEPCO Power Grid	707
<i>Yang H.S., Sohn S.H., Lim J.H., Namgung E.S., Oh S.R., Yim S.W., Kim Y.H., Lee K.T., Jang H.M., Hwang S.D.</i>	
Thermomechanical Behavior of the Superconducting Cable of Caser2 at Chubu University	711
<i>Watanabe H., Ivanov Y., Sun J., Hamabe M., Kawahara T., Yamaguchi S.</i>	
Development of Large Current Capacity of Peltier Current Lead for DC Cable	715
<i>Sugane H., Hikichi Y., Minowa M., Kawahara T., Watanabe H., Hamabe M., Yamaguchi S.</i>	
Heat Leak Measurement of Cryogenic Pipe with Vacuum Insulation for DC Superconducting Power Transmission	719
<i>Toki Y., Hamabe M., Ivanov Y., Watanabe H., Kawahara T., Yamaguchi S.</i>	
Time Dependence of Terminals Temperature with Current Feeding in the Superconducting Direct Current Transmission Test Device of CASER-2	723
<i>Kawahara T., Emoto M., Watanabe H., Hamabe M., Ivanov Y., Sun J., Yamaguchi S.</i>	
Dependence of Electromagnetic Properties of HTS BSCCO Tri-Axial Cable on Fabrication Error	727
<i>Ohno S., Hu N., Watanabe T., Miyagi D., Tsuda M., Hamajima T.</i>	

Coil Winding Technology Development of Y-based HTS Transformer - AC Loss Measurement Results of the Model Coil -	731
<i>Bohno T., Tomioka A., Satake S., Isozaki M., Watanabe K., Toyama K., Sugiyama S., Konno M., Okamoto H., Gosho Y., Hayashi H., Iwakuma M., Saito T., Tagomori A., Machi T., Tanabe K., Shiohara Y.</i>	
Technology Development to Fuse the Commercialized Transformer and SFCL Based on the SCR	735
<i>Cho Y.-S., Jung B.-I., Choi H.-S.</i>	
Preliminary Investigation of Stator Windings for Fully Superconducting Motor with MgB₂ Wires	739
<i>Uchida Y., Kuga H., Kajikawa K., Nakamura T., Kobayashi H., Wakuda T., Tanaka K.</i>	
Characteristics Analysis and Verification of a Double-sided HTS Linear Switched Reluctance Motor	743
<i>Hirayama T., Uwada K., Kawabata S.</i>	
Short-Circuit Characteristic Analysis of 10 MW Class Superconducting Wind Turbine Generators	747
<i>Terao Y., Sekino M., Ohsaki H.</i>	
Conceptual Design of 100MJ Class SMES Wound with MgB₂ Conductor for ASPCS	751
<i>Takahashi T., Atomura N., Iwasaki T., Amata H., Son K., Miyagi D., Tsuda M., Hamajima T., Shintomi T., Makida Y., Takao T., Munakata K., Kajiwara M.</i>	
Operation Tests of Superconducting Level Sensors for Liquid Hydrogen with CuNi-sheathed MgB₂ Wires	755
<i>Watanabe K., Inoue T., Kajikawa K., Kobayashi H., Taguchi H., Wakuda T., Tanaka K.</i>	
Operation Methodology of Advanced Superconducting Power Conditioning System to Compensate Fluctuating Renewable Energy	759
<i>Iwasaki T., Amata H., Son K., Sato R., Tsuda M., Miyagi D., Hamajima T., Shintomi T., Makida Y., Takao T., Munakata K., Kajiwara M.</i>	
Flywheel Energy Storage System with a Flywheel Suspended by a Superconducting Stator	763
<i>Takahashi W., Komori M., Matsushita T., Koshizuka N., Sakai N., Asami K.</i>	
Superconducting Flywheel Energy Storage System Completed by Pmb with Damper	767
<i>Subkhan M., Komori M., Sakai N., Asami K.</i>	
Vibration Transmission of a Superconducting Seismic Isolation Device Using Stationary Levitation System with Permanent Magnets	771
<i>Katana T., Sasaki S., Miyagi D., Tsuda M., Hamajima T., Kuwai N., Yasui K.</i>	
Frequency Division Multiplexing of Transition-Edge Sensor Microcalorimeters Using Base-Band Feedback Technique	775
<i>Yamamoto R., Sakai K., Takei Y., Yamasaki N.Y., Mitsuda K.</i>	
Development of Low-Power dc-SQUIDS for Future X-Ray Satellite Missions	779
<i>Sakai K., Takei Y., Mitsuda K., Yamasaki N.Y., Yamamoto R., Hidaka M., Nagasuwa S., Miyazaki T., Maezawa M., Kohjiro S.</i>	

METALLIC SUPERCONDUCTORS

Development of Internal-Tin Processed Nb₃Sn Multi-Filamentary Wires	783
<i>Ohata K., Miyashita K., Nakagawa K.</i>	

Optimization of the Performance (>4.2K) of NbTi Superconducting Composite Wire for ITER Project	787
<i>Li J.F., Liu X.H., Feng Y., Liu W.T., Yan L.X., Gao H.X., Zhu S.H., Hou J., Du S.J., Yan G., Wang T.C., Zhang P.X., Liu S.</i>	
Results of ITER-TF Stand Production at Luvata	791
<i>Kanithi H., Pyon T., Lajewski J., Lammi J., Seppala J., Karlemo B.</i>	
Analyses of Hysteresis Loss and Current Characteristics of Experimental NbTi Strands for ITER PF Coils Fabricated in Course of the Development	795
<i>Potanina L.V., Gubkin I.N., Vorobieva A.E., Korpusov V.Y., Salunin N.I., Karasev Y.V., Nikulenkov E.V., Malchenkov A.V., Shikov A.K., Novikov M.S., Novikov S.I.</i>	
Mass Production Results of Superconducting Cables for CS and EF Coils of JT-60SA	799
<i>Sugimoto M., Kosugi K., Katayama K., Ii H., Takagi A., Endoh S., Shimizu H., Tsubouchi H., Kizu K., Yoshida K.</i>	
Effect of Bending on Critical Current of React-and-Jacket Processed Nb₃Sn Conductor	803
<i>Takahata K., Tamura H., Mito T., Imagawa S.</i>	
Development of New High Tin Content Bronze Alloys and Improved Bronze-Processed Nb₃Sn Wires	807
<i>Kikuchi A., Taniguchi H.</i>	
Development of the Nb Semiproducts Manufacture Regimes for Nb₃Sn Superconductors with Enhanced Characteristics	811
<i>Alexeev M., Vorobieva A., Abdjukhanov I., Dergunova E., Drobyshev V., Zurabov V., Peredkova T., Shikov A.</i>	
RHQT Nb₃Al Superconducting Wires with a Ta/Cu/Ta Three-Layer Filament-Barrier Structure	815
<i>Takeuchi T., Tsuchiya K., Nakagawa K., Nimori S., Banno N., Iijima Y., Kikuchi A., Nakamoto T.</i>	
Experimental Study on Paschen Discharge in Helium for High Voltage Cryogenic Insulation Material	819
<i>Zheng J., Song Y., Huang X., Lu K., Wang J., Ding K., Zhu H.</i>	
2G CONDUCTORS	
Grain/Crystallite Size Dependence on Self-Epitaxy of Buffer Layer for Coated Conductors	825
<i>Taneda T., Yoshizumi M., Takahashi T., Kuriki R., Shinozaki T., Izumi T., Iijima Y., Saitoh T., Yoshida R., Kato T., Hirayama T., Kiss T.</i>	
Angular Dependences of Critical Current Density and <i>n</i>-value in YBCO thin Films at High Density of Columnar Defects	829
<i>Sueyoshi T., Nishimura T., Fujiyoshi T., Mitsugi F., Ikegami T., Ishikawa N.</i>	
Development of TFA-MOD Derived YBCO Coated Conductors by Multi-Turn Reel-to-Reel System(2)	833
<i>Takagi Y., Nakuoka K., Nakamura T., Takahashi S., Suda H., Kato T., Yoshida R., Hirayama T., Kiss T., Yoshizumi M., Izumi T., Shiohara Y.</i>	

Limiting Currents of YBCO Coated Tape with Non-Uniform Distribution of the Critical Current along the Conductor	837
<i>Romanovskii V.R., Arkharov A.M., Dontsova E.S., Watanabe K., Awaji S.</i>	
Delamination Strength of IBAD/PLD Coated Conductor	841
<i>Nakamura N., Suzuki R., Iijima Y., Itoh M., Saitoh T.</i>	
 BSCCO	
Formation Peculiarities of Overloaded Ac Current Modes	845
<i>Romanovskii V.R., Watanabe K.</i>	
Improved Poynting's Vector Method: Estimations of Electromagnetic Properties of HTS Tapes Simultaneously Exposed to AC Transport Currents and External Magnetic Fields	849
<i>Sakuda H., Tokuda T., Mukai M., Kawagoe A., Sumiyoshi F., Iwakuma M., Izumi T., Shiohara Y.</i>	
AC Loss Measurements of HTS Long Tapes Formed into a Solenoidal Coil Shape Simultaneously Exposed to AC Transport Currents and AC External Magnetic Fields by Improved Poynting's Vector Method	853
<i>Mukai M., Furukawa M., Sakuda H., Kawagoe A., Sumiyoshi F.</i>	
Development of Low AC Loss Bi2223 Tapes with Interfilamentary Oxide Barriers	857
<i>Inada R., Okumura Y., Ohtsu R., Oota A., Li C.S., Zhang P.X.</i>	
Evaluation of Joint Characteristics between HTS Conductors with Large Current Capacity	861
<i>Nonaka K., Naruse N., Hirayama T., Kawabata S.</i>	
 MgB₂	
Workability and Transport Properties of Cu-coated Fe-sheathed MgB₂ Wires	865
<i>Tanaka K., Ichiki Y., Kodama M., Okamoto K., Kikuchi A.</i>	
Trapped Field and Temperature Rise in MgB₂ Bulks Magnetized by Pulsed Field	871
<i>Fujishiro H., Naito T., Sasaki T., Arayashiki T.</i>	
Trapped Field and Critical Current Density of MgB₂ Bulk Fabricated by a Capsule Method	875
<i>Sasaki T., Naito T., Fujishiro H.</i>	
 HTS BULK	
Properties of Large Single-Grained RE-Ba-Cu-O Bulk Superconductors 150 mm in Diameter Fabricated Using RE Compositional Gradient Technique	879
<i>Teshima H., Morita M., Okajima N., Terao Y., Sekino M., Ohsaki H., Murakami A.</i>	
 OTHER NOVEL SUPERCONDUCTING MATERIALS	
AC Susceptibility of Grained Superconductor	883
<i>Kinoshita J., Akune T., Sakamoto N.</i>	

Oscillation Characteristics of a Magnet Encompassed with Magnetic Fluid Levitated Above a Bulk Superconductor	887
<i>Futamura M., Sudo S.</i>	
Development of Strontium Titanate thin Films on Technical Substrates for Superconducting Coated Conductors	891
<i>Pallewatta P.G.A.P., Zhao Y., Grivel J.C.</i>	
Development of the Substrate Materials for Coated Conductors	895
<i>Pantsyrny V.I., Vorobieva A.E., Abdyukhanov I.M., Belotelova Y.N., Rakov D.N., Kotova E.V., Konovalov P.V., Samusevich V.V., Nikolaev A.V., Borisov A.V., Drobyshhev V.A., Polikarpova M.V., Shikov A.K.</i>	
Superconducting Properties of YBCO thin Films Fabricated by PLD Method with Underwater Shockcompacted Targets	899
<i>Tsuchiya K., Sueyoshi T., Fujiyoshi T., Mitsugi F., Ikegami T., Kim Y.</i>	
 METALLIC, NON-METALLIC STRUCTURE MATERIALS	
Assessment of Long Term Performance of the ITER Pre-compression Rings	903
<i>Knaster J., Evans D., Foussat A., Rajainmaki H.</i>	
Effect of Solution Annealing Treatment on the Cryogenic Elongation of ITER TF Jacket Material	909
<i>Huang C.J., Wu Z.X., Huang R.J., Li J.W., Li S.F., Li L.F., Qin J.G., Dai C., Liu H.J.</i>	
Certification of Radiation Resistance of Nb₃Sn Based Magnet Coil Electrical Insulation Materials	913
<i>Chorowski M., Polinski J., Bogdan P., de Rijk G.</i>	
Effect of Stress Ratio on High-Cycle Fatigue Properties of Ti-5Al-2.5Sn ELI Alloy Forging at Low Temperature	917
<i>Ono Y., Yuri T., Ogata T., Matsuoka S., Sunakawa H.</i>	
Effect of Shot-Peening on High-Cycle Fatigue Properties for Ti-6Al-4V ELI Alloy at Cryogenic Temperatures	921
<i>Yuri T., Ono Y., Ogata T.</i>	
Preparation and Mechanical Properties of ETBN Modified Epoxy Resins	925
<i>Wu Z.X., Li J.W., Huang C.J., Huang R.J., Li L.F.</i>	
Effect of Si₃N₄ on Electrical Performance of Bi-Sb Alloys	929
<i>Chen Z., Han Y.M., Zhou M., Huang R.J., Song C.M., Zhou Y., Li L.F.</i>	