

Theory and Simulation of FELS with Planar, Helical, and Elliptical Undulators

H.P. Freund,^{1,2} B.W.J. McNeil,^{3,4} J.R. Henderson,^{3,4,5} L.T.
Campbell,^{3,4} P.J.M. van der Slot,⁶ D.L.A.G. Grimminck⁷, I.D.
Setija⁷, and P. Falgari⁸

¹Department of Electrical and Computer Engineering, University of New Mexico,
Albuquerque, New Mexico, USA

²NoVa Physical Science and Simulations, Vienna, Va 22182, USA

³SUPA, Dept. of Physics, University of Strathclyde, Glasgow, Scotland G4 0NG, UK

⁴ASTeC, STFC Daresbury Laboratory and Cockcroft Institute, Warrington, WA4 4AD, UK

⁵Lancaster University, Engineering, LA1 4YR, UK

⁶Mesa⁺ Institute for Nanotechnology, University of Twente, Enschede, the Netherlands

⁷ASML B.V., Veldhoven, the Netherlands

⁸LIME B.V., Eindhoven, the Netherlands

OUTLINE

- The Resonance Condition is obtained for an elliptical undulator
- The JJ -Factor is obtained in an elliptical undulator
 - Measures the effect of the lower beat wave \rightarrow degrades the interaction
 - Suppressed due to the symmetry of a helical undulator
 - The JJ -factor varies smoothly: planar \rightarrow elliptical \rightarrow helical
 - It is important to determine the JJ -factor in order to:
 - Generalize the parameterization à la Ming Xie
 - Parameterize orbit-averaged simulations
- Simulations are performed using an elliptical undulator model
 - 1D simulations using PUFFIN
 - 3D simulations using MINERVA

THE RESONANCE CONDITION

- The orbits in a 1D elliptical undulator

$$\mathbf{B}_w = B_w \left(\hat{\mathbf{e}}_x \cos k_w z + u_e \hat{\mathbf{e}}_y \sin k_w z \right)$$

$$\mathbf{v}_\perp = -\frac{cK}{\gamma} \left(u_e \hat{\mathbf{e}}_x \cos k_w z + \hat{\mathbf{e}}_y \sin k_w z \right)$$

$$\frac{v_z^2}{c^2} = \frac{v_\parallel^2}{c^2} + \left(1 - u_e^2 \right) \frac{K^2}{2\gamma^2} \cos 2k_w z$$

Ellipticity

- $u_e = 1$: Helical Undulator
- $u_e = 0$: Planar Undulator

- From energy conservation

$$\frac{v_x^2 + v_y^2 + v_z^2}{c^2} = 1 - \frac{1}{\gamma^2} \longrightarrow \frac{v_\parallel^2}{c^2} = 1 - \frac{1 + (1 + u_e^2)K^2/2}{\gamma^2}$$

- The Resonance Condition

$$\lambda = \frac{\lambda_w}{2\gamma^2} \left[1 + \left(1 + u_e^2 \right) \frac{K^2}{2} \right]$$

TO OBTAIN THE JJ -FACTOR

- The electron position is given by

$$z \cong u_{\parallel} t + \left(1 - u_e^2\right) \frac{K^2}{8\gamma^2 k_w} \sin 2k_w u_{\parallel} t$$

- We consider the interaction with an elliptically polarized wave

$$\delta \mathbf{E} = \delta \hat{E} \left[u_e \hat{\mathbf{e}}_x \sin(kz - \omega t) + \hat{\mathbf{e}}_y \cos(kz - \omega t) \right]$$

- Based upon Poynting's Theorem, we write

Upper Beat (Ponderomotive) Wave

Lower Beat Wave

$$\mathbf{v} \cdot \delta \mathbf{E} = -\frac{cK}{4i\gamma} \delta \hat{E} \left\{ \left(1 + u_e^2\right) \exp \left[i \left(k + k_w\right) z - i\omega t \right] - \left(1 - u_e^2\right) \exp \left[i \left(k - k_w\right) z - i\omega t \right] \right\} + c.c.$$



Vanishes when $u_e = 1$ for a helical undulator

- For the upper beat (ponderomotive) wave


$$\exp\left[i\left(k+k_w\right)z-i\omega t\right]=\exp\left[i\left(k+k_w\right)u_{\parallel}t-i\omega t\right]\sum_{n=-\infty}^{\infty}J_n\left(b\right)\exp\left(2ink_wu_{\parallel}t\right)$$

$$\approx\exp\left[i\left(k+k_w\right)u_{\parallel}t-i\omega t\right]J_0\left(b\right)$$

- For the lower beat wave

$$\exp\left[i\left(k-k_w\right)z-i\omega t\right]=\exp\left[i\left(k+k_w\right)u_{\parallel}t-i\omega t\right]\sum_{n=-\infty}^{\infty}J_{n+1}\left(b\right)\exp\left(2ink_wu_{\parallel}t\right)$$

$$\approx\exp\left[i\left(k+k_w\right)u_{\parallel}t-i\omega t\right]J_1\left(b\right)$$



THE JJ -FACTOR

- As a result, the source term in Poynting's theorem becomes

$$\mathbf{v} \cdot \delta \mathbf{E} \cong -\frac{cK}{4i\gamma} (1+u_e^2) \delta \hat{E} \exp \left[i(k+k_w)u_{\parallel}t - i\omega t \right] \left[J_0(b) - \frac{(1-u_e^2)}{(1+u_e^2)} J_1(b) \right] + c.c.$$


$$JJ = \sqrt{1+u_e^2} \frac{K}{\sqrt{2}} \left[J_0(b) - \frac{1-u_e^2}{1+u_e^2} J_1(b) \right]$$

- Helical Undulator

$$JJ = K$$

- Planar Undulator

$$JJ = \frac{K}{\sqrt{2}} \left[J_0(b) - J_1(b) \right]$$




SIMULATION CODES

- **PUFFIN** – 1D & 3D, time-dependent, unaveraged numerical simulation code
 - L.T. Campbell & B.W.J. McNeil, Phys. Plasmas **19**, 093119 (2012)
 - 1D simulation of elliptical undulator
 - Results compared with orbit-averaged simulation using the resonance condition and JJ -factor
- **MINERVA** – 3D, time-dependent, SVEA code with full 3D orbit treatment (*i.e.*, no wiggler-average)
 - H. Freund, P. van der Slot, D. Grimminck, I. Setya, and P. Falgari, New J. Phys. **19**, 023020 (2017).
 - Using an APPLE-II undulator model
- Neither code needs an explicit statement of either the resonance condition or the JJ -factor since they are implicitly included in the particle dynamics

APPLE-II UNDULATOR MODEL

We model an APPLE-II undulator using a super-position of two crossed planar undulators with a relative phase shift ϕ

$$\mathbf{B}_w(\mathbf{x}) = B_w(z) \left[\sin(k_w z + \phi) - \frac{\cos(k_w z + \phi)}{k_w B_w} \frac{dB_w}{dz} \right] \hat{\mathbf{e}}_x \cosh(k_w x) \\ + B_w(z) \left[\sin(k_w z) - \frac{\cos(k_w z)}{k_w B_w} \frac{dB_w}{dz} \right] \hat{\mathbf{e}}_y \cosh(k_w y) \\ + B_w(z) \hat{\mathbf{e}}_z \left[\sinh(k_w x) \cos(k_w z + \phi) + \sinh(k_w y) \cos(k_w z) \right]$$





The ellipticity is given by:

$$u_e = \frac{1 - \cos \phi}{1 + \cos \phi} \quad 0 \leq \phi < \pi/2$$

$$u_e = \frac{1 + \cos \phi}{1 - \cos \phi} \quad \pi/2 \leq \phi < \pi$$

MINERVA SIMULATIONS

- MINERVA simulations for SPARC-like parameters show a decrease in the gain length and increase in the saturation distance with decreasing ellipticity – as expected.





- MINERVA is in reasonable agreement with the Ming Xie formulae that have been generalized to include the new resonant wavelength and JJ -factor.

PUFFIN SIMULATIONS

- Comparison between PUFFIN and the predicted scaling of the saturation energy and distance show good agreement

$$\alpha = J_0(b) - \frac{1-u_e^2}{1+u_e^2} J_1(b)$$



- Comparisons between PUFFIN and the averaged simulation show good agreement
- Saturation distance increases with the ellipticity as expected and seen in MINERVA

SUMMARY


- We have developed analytic formulae for the resonant wavelength and the JJ -Factor
 - Generalization of Ming Xie's parameterization (MINERVA, 3D)
 - Used in 1D orbit-averaged simulation (PUFFIN, 1D)
- PUFFIN and MINERVA simulations illustrate some essential features associated with elliptical undulators
 - Dependence of the resonance condition and interaction strength on the undulator field strength
- This work represents a beginning in the theory and simulation of elliptical polarization in FELs

SUPPLEMENTAL VIEWGRAPHS


THE PUFFIN SIMULATION CODE

- No slicing
- No period averaging
- Non-SVEA
- Neglects backwards wave, space-charge
- Models broadband emission
- Includes:
 - variably polarized undulators,
 - variable undulator tunings,
 - tapering,
 - beam energy oscillations,
 - Undulator lattices with chicanes and quads using point transforms

Full x and y -polarized fields:



Intensity evolution:



THE MINERVA SIMULATION CODE

- Fully 3-D with Time-Dependence
- E&M fields treated using the polychromatic SVEA approximation
 - Multi-slice time-dependent and/or polychromatic physics
 - Modal decomposition of the fields
 - Amplifier (MOPA)/Oscillator (linked to OPC)/SASE/OK/HGHG
- Particle dynamics are treated from first principles (not KMR)
 - Harmonics & sidebands implicitly included in orbit dynamics
- Additional Features/Capabilities
 - Wiggler models
 - Parabolic-Pole-Face, Flat-Pole-Face, Canted-Pole, Helical
 - APPLE-II model describes planar, helical, elliptical symmetry
 - Import from a field map
 - Quadrupole & Dipole Field Models
 - Non-Gaussian distributions (TBD)
 - Import Phase Space
 - Restart Capability