



Technology, Movement, and Play Is Hampering and Boosting Interactive Play

Robby van Delden

r.w.vandelden@utwente.nl
Human Media Interaction, University
of Twente
Enschede, the Netherlands

Joris Weijdom

j.p.weijdom@utwente.nl
Human Media Interaction, University
of Twente, HKU Theatre, HKU
University of the Arts
Enschede, Utrecht, the Netherlands

José Manuel Vega-Cebrián

josemanuel.vega@uc3m.es
Department of Computer Science and
Engineering, Universidad Carlos III de
Madrid
Madrid, Spain

Solip Park

solip.park@aalto.fi
Aalto University
Finland

Mats Johnsson

mats.johnsson@mau.se
Department of Sport Sciences, Faculty
of Education and Society, Malmö
University
Sweden

Dennis Reidsma

d.reidsma@utwente.nl
Human Media Interaction, University
of Twente
Enschede, the Netherlands

Elena Márquez Segura

emarquez@inf.uc3m.es
Department of Computer Science and
Engineering, Universidad Carlos III de
Madrid
Madrid, Spain

Ana Tajadura-Jiménez

atajadur@inf.uc3m.es
Department of Computer Science and
Engineering, Universidad Carlos III de
Madrid, UCL Interaction Centre,
University College London
Madrid, London, Spain, United
Kingdom

Perttu Hämäläinen

perttu.hamalainen@aalto.fi
Aalto University
Finland

Lærke Schjødt Rasmussen

lschjodt@health.sdu.dk
Department of Sports Science and
Clinical Biomechanics, University of
Southern Denmark
Odense, Denmark

Dees Postma

d.b.w.postma@utwente.nl
Human Media Interaction, University
of Twente
Enschede, the Netherlands

Laia Turmo Vidal

laia.turmo@uc3m.es
Department of Computer Science and
Engineering, Universidad Carlos III de
Madrid
Madrid, Spain

Annika Waern

annika.waern@im.uu.se
Department of Informatics and Media,
Uppsala University
Uppsala, Sweden

José Maria Font

jose.font@mau.se
Department of Computer Science and
Media Technology, Faculty of
Technology and Society, Malmö
University
Sweden

Lars Elbæk

lslbaek@health.sdu.dk
Department of Sports Science and
Clinical Biomechanics, University of
Southern Denmark
Odense, Denmark

ABSTRACT

In this paper, we highlight how including technology, movement or play can boost a design process but with unbalanced amounts can also hamper the process. We provide a set of examples where we miscalculated the amount of technology, movement, or play that was needed in a design activity in such a way that it became

counterproductive and for each example mention possible adaptations. Finally, we highlight three existing approaches that can balance the overabundance of technology, movement, and play in design processes: activity-centered design, somaesthetic design, and perspective-changing movement-based design.

Permission to make digital or hard copies of part or all of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for third-party components of this work must be honored. For all other uses, contact the owner/author(s).

CHI PLAY Companion '23, October 10–13, 2023, Stratford, ON, Canada

© 2023 Copyright held by the owner/author(s).

ACM ISBN 979-8-4007-0029-3/23/10.

<https://doi.org/10.1145/3573382.3616050>

CCS CONCEPTS

• **Human-centered computing** → **Interaction design process and methods**; *Activity centered design*.

KEYWORDS

play, movement, technology, balancing, product, and process

ACM Reference Format:

Robby van Delden, Dennis Reidsma, Dees Postma, Joris Weijdom, Elena Márquez Segura, Laia Turmo Vidal, José Manuel Vega-Cebrián, Ana Tajadura-Jiménez, Annika Waern, Solip Park, Perttu Hämäläinen, José Maria Font, Mats Johnsson, Lærke Schjødt Rasmussen, and Lars Elbæk. 2023. Technology, Movement, and Play Is Hampering and Boosting Interactive Play. In *Companion Proceedings of the Annual Symposium on Computer-Human Interaction in Play (CHI PLAY Companion '23), October 10–13, 2023, Stratford, ON, Canada*. ACM, New York, NY, USA, 4 pages. <https://doi.org/10.1145/3573382.3616050>

1 INTRODUCTION

One strand of CHI PLAY concerns playful interactions with our moving bodies [4–6]. Typical publications address *products* that stimulate play and movement [4–6], or innovative *processes* that use technology, movement, and play, as part of the design process [12].

In both, an implicit tendency towards promoting the use of "more" technology can be expected, but we also recognize "more is better" perspectives in the elements of movement and play. Regarding the design *process*, we see a natural tendency which suggests using more, technology [20], movement [1, 19], and play [10, 11, 14]. This 'more is better' perspective includes introducing new *technological* sensors, actuators, or systems; adding more (intense) *movements* and focus on actions; or triggering a more *playful* mindset. We know of only a few approaches that productively *focus less* on technology, movement, or play in the process. We show this for instance can be done by changing the moment of when to introduce technology, changing perspective, or replacing steps with moments of reflection.

Regarding the *products* of design, CHI PLAY's enthusiasm for incorporating technology, movement, and play may go without saying, but we draw attention to work that addresses the benefits of using less of these. One, to focus less on technology alone (e.g., engaging socially with trained volunteers as part of an interaction [21]). Two, to move in only limited amounts to elicit aimed-for feelings (e.g., feeling confined to a closer space [8]). And three, to consider less play as a viable solution for an interesting experience (e.g., lower intensity fantasy/mimicry-based playground games [18]).

This paper grew from our MeCaMInD consortium's experiences in designing with, and teaching about movement-based design methods. We share these experiences which lead to a reflection on the value of three existing approaches.

2 TECHNOLOGY, MOVEMENT, AND PLAY, BOOSTING AND HAMPERING DESIGN PROCESSES

Technology can boost a design process. In the context of weightlifting, we found that wearable Training Technology Probes (TTPs) that made proprioceptive information of posture and movement visible through wearable lasers, could aid to discover values, goals, and several challenges [16].

Technology may also hamper the design process, as for example in our playground work. We let students around halfway in the process start on intermediate technology-enhanced 'experience prototypes' (see [3]). However, during this step, they tended to

simplify not only what they could make at that point, through rushed implementation of simple interactions, also later on they continued to ignore large parts of their previous concepts that had interesting experiential qualities. In contrast, it helps to continue for quite some time without any technology and investigate possible types of play on current playgrounds and fields [2, 18]. Similarly, when we interviewed professionals, several indicated to start from simplified 'non-technology' experiences. For instance, rather than smart sensors, using a marble in a transparent tube to simulate the use of an accelerometer [13]. In workshops with physiotherapists, a too strong focus on technology was often detrimental to a focus on sensations and correction strategies. Physiotherapists could more successfully explore feedback modalities by bringing in non-tech materials that provided different sensations or by showing their own feedback strategies.

Movement can boost a design process. When teaching Physical Education (PE) students we noticed they are used to start more from a movement toolbox rather than a technology toolbox. When comparing design ideas to address similar problems, this seemed to lead to a different range of outcomes, adding value to the process.

Yet, too much movement can hamper a design process. Originally we planned to design sensory technologies for Yoga [15] with typical bodystorming sessions for movement-based domains [10], the workshops focused on idea generation through a fast pace, constant movement, prioritizing quantity over quality, and incorporating playful elements for engagement. However, Yoga required a slower pace and deeper engagement with more focus on quality than quantity. Elsewhere, we focused on including movement throughout the design process for an embodied learning activity, which yielded an interactive rocking stool. Here, the breakthrough came when we changed our perspective to the pedagogical approach of focusing on learning as a social activity. Moving less, we were inspired to nudge users to establish social spaces.¹

Play can boost a design process. For instance, in workshops aiming to invent playful fitness equipment for KOMPAN, we focused solely on the *play* part as long as possible before considering technology. This resulted in suggestions of playful battle equipment that played with the user providing a mix between a boxing ball and pole tennis.

However, *too much play* can also *hamper* the process. In a workshop to create a 20-minute activity, our facilitators focused on keeping the movement flow high (cf. [14]). This resulted in too much movement and playing around, which caused the participants to lose track of why they were playing in the first place. Instead, more reflective non-play moments or roles could have been beneficial here (cf. [14]). Elsewhere, when applying the TTPs in co-design with children, we noted how the children would playfully come up with their own games quite in line with the desired focus. However, they would also come up with games that were not at all aligned (e.g., using the laser TTP to pretend to be Ironman and playfully chase other children). Here, circus instructors were instrumental to balance between emergent playfulness and instrumental goals of training.

¹This turned into iMoLearn <https://www.i3-technologies.com/en/products/accessories/imo-learn/>.

In short, these are illustrative examples showing boosting and hampering parts in the design process.

3 THREE APPROACHES THAT HIGHLIGHT 'LESS IS MORE' THROUGH A CHANGE IN FOCUS

There are various approaches that through a change in focus remove an overemphasis on technology, movement, and play while maintaining a core relation to it: activity-centered design, somaesthetic design, and perspective-changing movement-based design.

One, we might want to focus less on technology while designing technology. In *activity-centered design* one also designs non-digital elements, the physical lived environment, the social environment with roles and characters, being open to take technology away rather than add, which has a strong relation to recent work on embodied core mechanics [9]. For example, when a non-digital big ball was introduced in a workshop, subsequently the designed activity also included balancing on the ball, and new rules emerged [9].

Two, while designing with and for movement, we may want to move and 'do' less and appreciate what experiences arise. This is in line with somaesthetic design, strong concepts such as Somaesthetic appreciation [7], and sensory bodystorming [17]. For instance, in the Yoga workshop participants were offered sensory probes including a bean bag and a bag with marbles, and felt differences in texture, malleability, and weight. This led to an idea of a detachable wearable which could be put around someone's foot to get a pose right [17].

Three, we might want to highlight processes where we step in but also deliberately *out of play* in a more structured manner. This relates to bodystorming methods such as embodied sketching with a carousel of proposing and trying out ideas [10]. For instance, in a workshop to design a new interaction while hanging, a participant suggested through showing a 'collecting the dots game' [10]. Another participant joined and added ideas, others then played the system or suggested additions based on observations, or affordances of the environment and objects. Then the next person took their turn for a new round investigating a new idea. Similarly, in technology-facilitated bodystorming methods such as 'performative prototyping' there is the playful 'experiencer' which is accompanied by fellow designers taking a facilitator, puppeteer, and observer role to also focus on first, second, and third person perspectives, foregrounding the actual experience through the body over the used technologies [20].

Although we focused on these elements, perhaps in general, one can question: how can *focusing less* on key elements of an approach be made beneficial?

ACKNOWLEDGMENTS

This research was supported by the EU Erasmus+ project Method Cards for Movement-based Interaction Design (MeCaMInD), grant number 2020-1-DK01-KA203-075164. And many more underlying projects which we gathered examples from.

REFERENCES

- [1] Rasmus Vestergaard Andersen, Søren Lekbo, René Engelhardt Hansen, and Lars Elbæk. 2020. Movement-Based Design Methods: A Typology for Designers. In

- Proceedings of the 14th European Conference on Games Based Learning* (University of Southern Denmark, Odense, Denmark). Academic Conferences and Publishing International (ACPI), Reading, United Kingdom, 637–645.
- [2] Jon Back, Laia Turmo Vidal, Annika Waern, Susan Paget, and Eva-Lotta Sallnäs Pysander. 2018. Playing Close to Home: Interaction and Emerging Play in Outdoor Play Installations. In *Proceedings of the 2018 CHI Conference on Human Factors in Computing Systems (CHI '18)*. Association for Computing Machinery, New York, NY, USA, 1–11. <https://doi.org/10.1145/3173574.3173730>
- [3] Marion Buchenau and Jane Fulton Suri. 2000. Experience prototyping. In *Proceedings of the 3rd conference on Designing interactive systems: processes, practices, methods, and techniques (DIS '00)*. Association for Computing Machinery, New York, NY, USA, 424–433. <https://doi.org/10.1145/347642.347802>
- [4] Richard Byrne, Joe Marshall, and Florian 'Floyd' Mueller. 2016. Balance Ninja: Towards the Design of Digital Vertigo Games via Galvanic Vestibular Stimulation. In *Proceedings of the 2016 Annual Symposium on Computer-Human Interaction in Play* (Austin, Texas, USA) (CHI PLAY '16). Association for Computing Machinery, New York, NY, USA, 159–170. <https://doi.org/10.1145/2967934.2968080>
- [5] Roland Graf, Sun Young Park, Emma Shpiz, and Hun Seok Kim. 2019. iGYM: A Wheelchair-Accessible Interactive Floor Projection System for Co-located Physical Play. In *Extended Abstracts of the 2019 CHI Conference on Human Factors in Computing Systems*. Association for Computing Machinery, New York, NY, USA, 1–6.
- [6] Perttu Hämäläinen, Joe Marshall, Raine Kajastila, Richard Byrne, and Florian 'Floyd' Mueller. 2015. Utilizing Gravity in Movement-Based Games and Play. In *Proceedings of the 2015 Annual Symposium on Computer-Human Interaction in Play* (London, United Kingdom) (CHI PLAY '15). Association for Computing Machinery, New York, NY, USA, 67–77. <https://doi.org/10.1145/2793107.2793110>
- [7] Kristina Höök, Martin P. Jonsson, Anna Ståhl, and Johanna Mercurio. 2016. Somaesthetic Appreciation Design. In *Proceedings of the 2016 CHI Conference on Human Factors in Computing Systems (CHI '16)*. Association for Computing Machinery, New York, NY, USA, 3131–3142. <https://doi.org/10.1145/2858036.2858583>
- [8] Martijn J.L. Kors, Gabriele Ferri, Erik D. van der Spek, Cas Ketel, and Ben A.M. Schouten. 2016. A Breathtaking Journey. On the Design of an Empathy-Arousing Mixed-Reality Game. In *Proceedings of the 2016 Annual Symposium on Computer-Human Interaction in Play* (Austin, Texas, USA) (CHI PLAY '16). Association for Computing Machinery, New York, NY, USA, 91–104. <https://doi.org/10.1145/2967934.2968110>
- [9] Elena Márquez Segura. 2016. *Embodied Core Mechanics: Designing for movement-based co-located play*. Ph. D. Dissertation. Department of Informatics and Media.
- [10] Elena Márquez Segura, Laia Turmo Vidal, and Asreen Rostami. 2016. Bodystorming for movement-based interaction design. *Human Technology* 12, 2 (Nov. 2016), 193–251. <https://doi.org/10.17011/ht/urn.201611174655>
- [11] Elena Márquez Segura, Laia Turmo Vidal, Asreen Rostami, and Annika Waern. 2016. Embodied Sketching. In *Proceedings of the 2016 CHI Conference on Human Factors in Computing Systems (CHI '16)*. Association for Computing Machinery, New York, NY, USA, 6014–6027. <https://doi.org/10.1145/2858036.2858486>
- [12] Elena Márquez Segura, Laia Turmo Vidal, Luis Parrilla Bel, and Annika Waern. 2019. Using Training Technology Probes in Bodystorming for Physical Training. In *Proceedings of the 6th International Conference on Movement and Computing (MOCO '19)*. Association for Computing Machinery, New York, NY, USA, 1–8. <https://doi.org/10.1145/3347122.3347132>
- [13] Solip Park, Perttu Hämäläinen, Annakaisa Kultima, Laia Turmo Vidal, Elena Márquez Segura, and Dennis Reidsma. 2022. Move to Design: Tactics and Challenges of Playful Movement-Based Interaction Designers' Experiences during the Covid-19 Pandemic. In *Proceedings of the 17th International Conference on the Foundations of Digital Games* (Athens, Greece) (FDG '22). Association for Computing Machinery, New York, NY, USA, Article 8, 8 pages. <https://doi.org/10.1145/3555858.3555925>
- [14] Dennis Reidsma, Robby W. van Delden, Joris P. Weijdom, René Engelhardt Hansen, Søren Lekbo, Rasmus Vestergaard Andersen, Lærke Schjødt Rasmussen, and Lars Elbæk. 2022. Considerations for (Teaching) Facilitator Roles for Movement-Based Design. In *Extended Abstracts of the 2022 Annual Symposium on Computer-Human Interaction in Play (CHI PLAY '22)*. Association for Computing Machinery, New York, NY, USA, 233–239. <https://doi.org/10.1145/3505270.3558315>
- [15] Laia Turmo Vidal, Elena Márquez Segura, Christopher Boyer, and Annika Waern. 2019. Enlightened Yoga: Designing an Augmented Class with Wearable Lights to Support Instruction. In *Proceedings of the 2019 on Designing Interactive Systems Conference (DIS '19)*. Association for Computing Machinery, New York, NY, USA, 1017–1031. <https://doi.org/10.1145/3322276.3322338>
- [16] Laia Turmo Vidal, Elena Márquez Segura, Luis Parrilla Bel, and Annika Waern. 2020. Training Technology Probes Across Fitness Practices: Yoga, Circus and Weightlifting. In *Extended Abstracts of the 2020 CHI Conference on Human Factors in Computing Systems (CHI EA '20)*. Association for Computing Machinery, New York, NY, USA, 1–8. <https://doi.org/10.1145/3334480.3382862>
- [17] Laia Turmo Vidal, Elena Márquez Segura, and Annika Waern. 2018. Sensory bodystorming for collocated physical training design. In *Proceedings of the 10th*

- Nordic Conference on Human-Computer Interaction (NordiCHI '18)*. Association for Computing Machinery, New York, NY, USA, 247–259. <https://doi.org/10.1145/3240167.3240224>
- [18] Robby van Delden, Dennis Reidsma, Joris P. Weijdom, and Dirk Heylen. 2022. Three Interactive Add-Ons for Small Local Playgrounds: Towards Designing for Context-Sensitive Play Activities. In *Extended Abstracts of the 2022 Annual Symposium on Computer-Human Interaction in Play* (Bremen, Germany) (*CHI PLAY '22*). Association for Computing Machinery, New York, NY, USA, 357–363. <https://doi.org/10.1145/3505270.3558387>
- [19] José Manuel Vega-Cebrián, Elena Márquez Segura, Laia Turmo Vidal, Omar Valdiviezo-Hernández, Annika Waern, Robby van Delden, Joris Weijdom, Lars Elbæk, Rasmus Vestergaard Andersen, Søren Lekbo, and others. 2023. Design Resources in Movement-based Design Methods: a Practice-based Characterization. In *Proceedings of the 2023 on Designing Interactive Systems Conference (DIS'23)*. Association for Computing Machinery, New York, NY, USA, 871–888. <https://doi.org/10.1145/3563657.3596036>
- [20] Joris Weijdom. 2022. Performative prototyping in collaborative mixed reality environments: an embodied design method for ideation and development in virtual reality.. In *Sixteenth International Conference on Tangible, Embedded, and Embodied Interaction (TEI '22)*. Association for Computing Machinery, New York, NY, USA, 1–13. <https://doi.org/10.1145/3490149.3501316>
- [21] Daniel Yule, Bonnie MacKay, and Derek Reilly. 2015. Operation Citadel: Exploring the Role of Docents in Mixed Reality. In *Proceedings of the 2015 Annual Symposium on Computer-Human Interaction in Play* (London, United Kingdom) (*CHI PLAY '15*). Association for Computing Machinery, New York, NY, USA, 285–294. <https://doi.org/10.1145/2793107.2793135>

Received 2023-06-22; accepted 2023-08-03; revised 2023-08-17