

---

Faculty of Mathematical Sciences

University of Twente

University for Technical and Social Sciences

---

---

P.O. Box 217  
7500 AE Enschede  
The Netherlands

Phone: +31-53-4893400

Fax: +31-53-4893114

Email: memo@math.utwente.nl

---

MEMORANDUM No. 1560

Generalized WDVV equations for  $F_4$  pure  $N = 2$   
Super-Yang-Mills theory

L.K. HOEVENAARS, P.H.M. KERSTEN  
AND R. MARTINI

DECEMBER 2000

ISSN 0169-2690

# Generalized WDVV equations for $F_4$ pure N=2 Super-Yang-Mills theory

L.K. Hoevenaars, P.H.M. Kersten, R. Martini

Department of Applied Mathematics, University of Twente  
P.O. Box 217, 7500 AE Enschede, The Netherlands

## Abstract

An associative algebra of holomorphic differential forms is constructed associated with pure N=2 Super-Yang-Mills theory for the Lie algebra  $F_4$ . Existence and associativity of this algebra, combined with the general arguments in the work of Marshakov, Mironov and Morozov, proves that the prepotential of this theory satisfies the generalized WDVV system.

**MSC Subj. Class. 2000:** 14H15, 81T60

**Keywords:** Riemann surface, moduli, WDVV

## 1 Introduction

In 1994, Seiberg and Witten [1] solved the low energy behaviour of pure N=2 Super-Yang-Mills theory by giving the solution of the prepotential  $\mathcal{F}$ . The essential ingredients in their construction are a family of Riemann surfaces  $\Sigma$ , a meromorphic differential  $\lambda_{SW}$  on it and the definition of the prepotential in terms of period integrals of  $\lambda_{SW}$

$$a_I = \int_{A_I} \lambda_{SW} \quad \frac{\partial \mathcal{F}}{\partial a_I} = \int_{B_I} \lambda_{SW} \quad (1.1)$$

where  $A_I$  and  $B_I$  belong to a subset of the canonical cycles on the surface  $\Sigma$  and the  $a_I$  are a subset of the moduli parameters of the family of surfaces. These formulae define the prepotential  $\mathcal{F}(a_1, \dots, a_r)$  implicitly, where  $r$  denotes the rank of the gauge group under consideration.

A link between the prepotential and the Witten-Dijkgraaf-Verlinde-Verlinde equations [2],[3] was first suggested in [4]. Since then an extensive literature on the subject was formed. It was found that the perturbative piece of the prepotential  $\mathcal{F}(a_1, \dots, a_r)$  for pure N=2 SYM theory satisfies the generalized WDVV equations [5],[6],[7]

$$\mathcal{F}_I \mathcal{F}_K^{-1} \mathcal{F}_J = \mathcal{F}_J \mathcal{F}_K^{-1} \mathcal{F}_I \quad \forall I, J, K = 1, \dots, r \quad (1.2)$$

where the  $\mathcal{F}_I$  are matrices given by  $(\mathcal{F}_I)_{JK} = \frac{\partial^3 \mathcal{F}}{\partial a_I \partial a_J \partial a_K}$ .

Moreover it was shown that the full prepotential for classical Lie algebras satisfies this generalized WDVV system [5],[8],[9]. The approach used by these authors consists of constructing an associative algebra of holomorphic differential forms, which together with a residue formula and existence of an invertible metric proves that the prepotential satisfies the generalized WDVV equations. For simply laced Lie algebras, an alternative proof was given in [10]. Since these include the exceptional Lie algebras of type  $E_6, E_7, E_8$  this leaves the case of Lie algebra  $F_4$  open<sup>1</sup>.

---

<sup>1</sup>The algebra  $G_2$  has rank two, which corresponds to two variables  $a_1, a_2$ . However, the generalized WDVV equations are trivial for a function  $\mathcal{F}$  of only two variables.

In this letter, we construct the algebra of differential forms for the Lie algebra  $F_4$  and we prove its associativity. Combined with the general remarks of [8],[9] this proves that the prepotential satisfies the WDVV equations.

## 2 Associative algebra for $F_4$

We start with the family of Riemann surfaces [11],[12] associated with pure  $F_4$  Seiberg-Witten theory

$$z + \frac{\mu}{z} = W(x, u_1, \dots, u_4) = \frac{b_1(x)}{24} - \frac{1}{2} \left\{ \left( \frac{-q + \sqrt{q^2 + 4p^3}}{2} \right)^{1/3} + \left( \frac{-q - \sqrt{q^2 + 4p^3}}{2} \right)^{1/3} \right\} \quad (2.1)$$

where  $p, q, b_1$  are polynomials in  $x, u_1, \dots, u_4$  which can be found in Appendix A. The Seiberg-Witten differential on this curve is

$$\lambda_{SW} = x \frac{dz}{z} = \frac{x(\partial_x W) dx}{\sqrt{W^2 - 4\mu}} \quad (2.2)$$

and its derivatives with respect to the moduli parameters  $u_i$  are holomorphic [9]

$$\omega_i = \frac{\partial \lambda_{SW}}{\partial u_i} \cong -\frac{\partial W}{\partial u_i} \frac{dx}{\sqrt{W^2 - 4\mu}} = \phi_i \frac{dx}{\sqrt{W^2 - 4\mu}} \quad (2.3)$$

where  $\cong$  denotes equality modulo exact forms and the last equality in (B.1) introduces the  $\phi_i$ . We want to make an associative algebra out of a product structure for holomorphic differential forms

$$\omega_i \omega_j = \sum_{k=1}^4 C_{ij}^k \omega_k G + H_{ij} \frac{dz}{z}, \quad (2.4)$$

where  $G$  is a fixed holomorphic form and  $H_{ij}$  are holomorphic forms.

There are mainly three circumstances that make the investigation different from that of the classical algebras. For Lie algebras of type  $A$ , the study of the algebra (2.4) essentially comes down to creating an algebra from a (commutative) ring of polynomials  $\phi_i \in \mathbb{C}[x]$  modulo the ideal generated by the fixed polynomial  $\partial_x W$ . Such an algebra is automatically associative, because any commutative ring modulo an ideal is again a commutative ring. For the other classical Lie algebras, the  $\phi_i$  and  $\partial_x W$  need not be polynomial, but a multiplication by  $x^\alpha$  for some  $\alpha$  makes them polynomial and the same construction can be applied. In our case however (as for all the exceptional groups), this strategy does not work due to the cubic and square roots in (2.1).

Furthermore, the Riemann surfaces do not have enough known involutions, which facilitated the investigation for classical groups. These two problems will be dealt with in the following sections: we will construct a polynomial algebra in several variables and an involution of the Riemann surface is found.

Finally, the case of  $F_4$  is more difficult from a purely computational point of view, and calculations have to be done using a computer. We did calculations in the symbolic languages REDUCE [13] and MAPLE [14].

### 2.1 The polynomial ring and ideals

Due to the cubic and square roots in (2.1), the  $\phi_i = -\frac{\partial W}{\partial u_i}$  have terms containing  $\left(-q + \sqrt{q^2 + 4p^3}\right)^{-\frac{2}{3}}$  which are certainly not polynomial in  $x$ . For classical gauge groups this problem does not occur and the  $\phi_i$  are basically in a polynomial ring. It is desirable to work with a polynomial ring because it will lead to associativity of the algebra structure (2.4). For this purpose we set

$$\begin{aligned} c &= \sqrt{q^2 + 4p^3} \\ a &= p \left( \frac{-q + c}{2} \right)^{1/3} \\ b &= p \left( \frac{-q - c}{2} \right)^{1/3} \end{aligned} \quad (2.5)$$

and  $\tilde{\phi}_i := abc\phi_i$ . With these definitions the Riemann surface reads

$$z + \frac{\mu}{z} = \frac{b_1(x)}{24} - \frac{1}{2p}(a+b) \quad (2.6)$$

The  $\tilde{\phi}_i$  are polynomial not in one variable  $x$ , but in four variables  $x, a, b, c$ :

**Proposition 1** *The  $\tilde{\phi}_i$  are elements of the polynomial ring  $\mathbb{C}[x, a, b, c]$ .*

**Proof.** See appendix B. ■

Due to the definitions of  $a, b, c$  there are certain relations among them. When multiplying the  $\tilde{\phi}_i$  to obtain an algebra, we have to take into account that

$$c^2 - q^2 - 4p^3 = 0 \quad (I.1)$$

$$ab + p^3 = 0 \quad (I.2)$$

$$a^2 - \frac{1}{2}(q-c)b = 0 \quad (I.3)$$

$$b^2 - \frac{1}{2}(q+c)a = 0 \quad (I.4)$$

These equations generate also other polynomial relations between  $a, b, c$ . For example, from the definition of  $a$  it is clear that  $a^3 = \frac{1}{2}(-q+c)p^3$ . This relation can also be deduced from (I.3) and (I.2) :

$$a^3 = a \cdot a^2 = ab \frac{1}{2}(q-c) = \frac{1}{2}(-q+c)p^3 \quad (2.7)$$

We will make practical use of these relations via the following

**Definition 2** *The equations (I.1), (I.2), (I.3), (I.4) generate<sup>2</sup> an ideal  $I$  in  $\mathbb{C}[x, a, b, c]$ .*

So in fact the  $\tilde{\phi}_i$  are in  $\mathbb{C}[x, a, b, c]/I$  and for any equivalence class  $p(x, a, b, c) + I$  of this space we can take a representative of the following form:

$$p(x, a, b, c) + I = p_1(x) + ap_2(x) + bp_3(x) + cp_4(x) + acp_5(x) + bcp_6(x) + I \quad (2.8)$$

because any higher powers of  $a, b, c$  can be rewritten using the ideal.

Since we expect the  $H_{ij}$  to be holomorphic differentials, we have taken the Ansatz that they are of the same form as the  $\omega_i$ . Since

$$\omega_i = \phi_i \frac{dx}{\sqrt{W^2 - 4\mu}} = \frac{1}{abc} \tilde{\phi}_i \frac{dx}{\sqrt{W^2 - 4\mu}} \quad (2.9)$$

with  $\phi_i$  as in (B.4), we take

$$\begin{aligned} H_{ij} &= Q_{ij} \frac{dx}{\sqrt{W^2 - 4\mu}} = \frac{1}{abc} \tilde{Q}_{ij} \frac{dx}{\sqrt{W^2 - 4\mu}} \\ &= \frac{1}{abc} (abp_{ij1}(x) + ap_{ij2}(x) + bp_{ij3}(x) + abcp_{ij4}(x) + acp_{ij5}(x) + bcp_{ij6}(x)) \frac{dx}{\sqrt{W^2 - 4\mu}} \end{aligned} \quad (2.10)$$

With this choice, the classes represented by  $\tilde{Q}_{ij}$  are elements of  $\mathbb{C}[x, a, b, c]/I$ . Final part of the Ansatz is that the polynomials  $p_{ijk}(x)$  are graded in the variables  $(x, u_i)$  with a certain degree which will be determined in section 2.2.

Furthermore we have to make a choice for the holomorphic differential  $G$ . In the *ADE* cases, there are reasons [10] to take  $G = \omega_r = \frac{dx}{\sqrt{W^2 - 4\mu}}$  where  $r$  is the rank of the group. By analogy we take  $G = \omega_4$ .

---

<sup>2</sup>Note that defining  $\tilde{a} = \left(\frac{-q+c}{2}\right)^{1/3}$  would yield  $\tilde{a}^2 - \frac{1}{2p}(qb-bc) = 0$  which is not polynomial. This is the reason why an extra factor  $p$  is added in the definition of  $a$  and  $b$ .

Instead of the multiplication structure (2.4) we now look at the equivalent structure in local coordinates

$$\phi_i \phi_j = \sum_{k=1}^4 C_{ij}^k \phi_k \phi_4 + Q_{ij} \partial_x W \quad (2.11)$$

In terms of the  $\tilde{\phi}_i$  we get

$$\left(\frac{1}{abc}\right)^2 \tilde{\phi}_i \tilde{\phi}_j = \left(\frac{1}{abc}\right)^2 \left( \sum_{k=1}^4 C_{ij}^k \tilde{\phi}_k \tilde{\phi}_4 + \tilde{Q}_{ij} \widetilde{\partial_x W} \right) \quad (2.12)$$

where  $\widetilde{\partial_x W} = abc \partial_x W$ . Equation (2.12) is equivalent to

$$\tilde{\phi}_i \tilde{\phi}_j = \sum_{k=1}^4 C_{ij}^k \tilde{\phi}_k \tilde{\phi}_4 + \tilde{Q}_{ij} \widetilde{\partial_x W} \quad (2.13)$$

in  $\mathbb{C}[x, a, b, c]/I$ . From this multiplication structure, the existence of which will be discussed in section 2.3, we can construct an algebra

**Definition 3** We define the algebra  $A$  by defining the multiplication  $*$  :  $\mathbb{C}[x, a, b, c]/I \times \mathbb{C}[x, a, b, c]/I \rightarrow \mathbb{C}[x, a, b, c]/I$  by

$$\tilde{\phi}_i * \tilde{\phi}_j = \sum_{k=1}^4 C_{ij}^k \tilde{\phi}_k \quad (2.14)$$

where the structure constants are taken from (2.13).  $\tilde{\phi}_4$  is the unity for this multiplication.

The ideal  $I$  and the ideal generated by  $abc \partial_x W$  together give a new ideal  $J$  in  $\mathbb{C}[x, a, b, c]$ . It can be shown that  $\mathbb{C}[x, a, b, c]/J$  is finite dimensional. The algebra  $A$  is obtained from polynomial multiplication modulo this ideal and it yields a 4-dimensional subalgebra of  $\mathbb{C}[x, a, b, c]/J$ . By our construction we have proven associativity:

**Theorem 4** The algebra  $A$  is associative.

With this result, the problem of finding an appropriate polynomial ring has been overcome. The following section deals with a symmetry and grading of the problem.

## 2.2 Symmetries and grading

A very important tool in calculations is the grading which is present in the problem (see for example [11]). The origin of this grading lies in a grading of the underlying Lie algebra. We will list the degrees:

$$[x] = 1 \quad , \quad [u_1] = 2 \quad , \quad [u_2] = 6 \quad , \quad [u_3] = 8 \quad , \quad [u_4] = 12$$

and from this grading we can deduce the degrees of all other objects (see appendix A). For example,  $[\phi_1] = 7$  so  $[Q_{11}] = [\phi_1 \phi_1] - [\partial_x W] = 14 - 8 = 6$  and from this we can deduce the degrees of the  $p_{11k}(x)$  of equation (2.10) as promised. For  $H_{11}$  we get

$$[p_{111}] = 33 \quad , \quad [p_{112}] = 60 \quad , \quad [p_{113}] = 60 \quad , \quad [p_{114}] = 6 \quad , \quad [p_{115}] = 33 \quad , \quad [p_{116}] = 33$$

Apart from the involution  $z \rightarrow \frac{\mu}{z}$  which is known to exist for all Riemann surfaces associated with pure Seiberg-Witten theory[11], there is at least one other involution present for  $F_4$ . As a result of the grading, we have the following involution of the Riemann surface:  $z \rightarrow -z$  ,  $x \rightarrow -x$ . This involution is also exhibited by the surfaces of  $B_r, C_r$  Seiberg-Witten theory, which are constructed from the same type of procedure [11].

Under a rescaling of  $x$  by a factor  $\alpha$ , the other objects must transform according to their degree

$$x \rightarrow \alpha x \quad , \quad z \rightarrow \alpha^9 z \quad , \quad u_1 \rightarrow \alpha^2 u_1 \quad , \quad u_2 \rightarrow \alpha^6 u_2 \quad , \quad u_3 \rightarrow \alpha^8 u_3 \quad , \quad u_4 \rightarrow \alpha^{12} u_4$$

and substituting  $\alpha = -1$  gives the involution. The reason for this symmetry is therefore that  $x$  and  $z$  have odd degrees, whereas the Casimirs  $u_i$  all have even degrees. Under this symmetry, the objects transform as follows

$$\begin{aligned} W &\mapsto -W & a &\mapsto -b \\ \phi_i &\mapsto -\phi_i & b &\mapsto -a \\ \partial_x W &\mapsto \partial_x W & c &\mapsto c \end{aligned}$$

Using this symmetry in the multiplication structure (2.11), we find that  $Q_{ij} \mapsto Q_{ij}$ . This facilitates the computations by narrowing down the possible forms  $H_{ij}$ .

### 2.3 Construction of the algebra

The procedure we have used to calculate the multiplication structure (2.13) is to set each coefficient of the multivariate polynomial in  $x, a, b, c, u_1, \dots, u_4$  of the left hand side equal to that of the right hand side. This yields an overdetermined system of linear equations which can be solved uniquely to give the following structure constants<sup>3</sup>:

$$\begin{aligned} (C_1^T)_j^k &= \begin{pmatrix} u_1 \left( \frac{250}{243} u_1^4 - \frac{10}{9} u_1 u_2 - \frac{7}{3} u_3 \right) & -\frac{25}{54} u_1^3 + \frac{1}{4} u_2 & -\frac{5}{3} u_1^2 & 1 \\ \frac{100}{81} u_1^4 u_2 + \frac{140}{27} u_1^3 u_3 - \frac{2}{3} u_1 u_2^2 - \frac{4}{3} u_1 u_4 - 2u_2 u_3 & u_1 \left( -\frac{5}{9} u_1 u_2 - \frac{7}{3} u_3 \right) & -6u_3 - 2u_1 u_2 & 0 \\ -\frac{2}{9} u_1 u_2 u_3 - \frac{2}{3} u_3^2 + \frac{100}{243} u_1^4 u_3 - \frac{10}{27} u_1^2 u_4 & \frac{1}{6} u_4 - \frac{5}{27} u_1^2 u_3 & -\frac{2}{3} u_1 u_3 & 0 \\ \frac{10}{9} u_1^2 u_3^2 - \frac{1}{3} u_1 u_2 u_4 - u_3 u_4 + \frac{50}{81} u_1^4 u_4 & -\frac{1}{2} u_3^2 - \frac{5}{18} u_1^2 u_4 & -u_1 u_4 & 0 \end{pmatrix} \\ (C_2^T)_j^k &= \begin{pmatrix} -\frac{25}{54} u_1^3 + \frac{1}{4} u_2 & \frac{5}{24} u_1 & \frac{3}{4} & 0 \\ u_1 \left( -\frac{5}{9} u_1 u_2 - \frac{7}{3} u_3 \right) & \frac{1}{4} u_2 & 0 & 1 \\ \frac{1}{6} u_4 - \frac{5}{27} u_1^2 u_3 & \frac{1}{12} u_3 & 0 & 0 \\ -\frac{1}{2} u_3^2 - \frac{5}{18} u_1^2 u_4 & \frac{1}{8} u_4 & 0 & 0 \end{pmatrix} \\ (C_3^T)_j^k &= \begin{pmatrix} -\frac{5}{3} u_1^2 & \frac{3}{4} & 0 & 0 \\ -6u_3 - 2u_1 u_2 & 0 & -6u_1 & 0 \\ -\frac{2}{3} u_1 u_3 & 0 & 0 & 1 \\ -u_1 u_4 & 0 & -\frac{9}{2} u_3 & 0 \end{pmatrix} \\ (C_4^T)_j^k &= \begin{pmatrix} 1 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 \\ 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 1 \end{pmatrix} \end{aligned}$$

Although it was proven abstractly in theorem 4 that these are structure constants of an associative algebra, this was also checked explicitly from the expressions above.

## 3 Conclusions and Outlook

In this letter, we constructed the algebra of holomorphic differential forms for Lie algebra  $F_4$  and we proved its associativity. Together with the theory of [8] this proves that the prepotential of pure  $F_4$  Seiberg-Witten theory satisfies the generalized WDVV equations. Apart from the link of Seiberg-Witten theory

<sup>3</sup>To get a better lay-out, we give the transpose matrices  $(C_i^T)_j^k = (C_i)_k^j$ .

with integrable systems [15],[11] there is no explanation why the generalized WDVV equations should hold for this theory. One possible indication is that its origin lies in the 2D Landau-Ginzburg systems (for which the WDVV equations themselves hold), as explained for simply laced groups in [10]. In that article it was also conjectured that for  $B, C$  type Lie algebras, the generalized WDVV equations can be shown to hold by using the Landau-Ginzburg theory of  $BC$  type. This was subsequently proven in [16]. It would be interesting to use the algebra constructed explicitly in the present paper for  $F_4$  to find out if an interpretation of the generalized WDVV equations in terms of the  $F_4$  Landau-Ginzburg model [17] can be given.

**Acknowledgements:** It is a pleasure to thank G. Post and G. Helminck for stimulating discussions.

## A The $F_4$ spectral curve

The  $F_4$  spectral curve<sup>4</sup> is given by ([11],[12])

$$z + \frac{\mu}{z} = W(x, u_1, \dots, u_4) = \frac{b_1(x)}{24} - \frac{1}{2} \left\{ \left( \frac{-q + \sqrt{q^2 + 4p^3}}{2} \right)^{1/3} + \left( \frac{-q - \sqrt{q^2 + 4p^3}}{2} \right)^{1/3} \right\} \quad (\text{A.1})$$

where

$$\begin{aligned} p(x) &= -\frac{b_2}{6} - \frac{b_1^2}{144}, \\ q(x) &= \frac{1}{27} \left( \frac{b_1^3}{32} + \frac{9}{8} b_1 b_2 + 27 b_3 \right) \end{aligned} \quad (\text{A.2})$$

and

$$\begin{aligned} b_1(x) &= -636x^9 - 300u_1x^7 - 48u_1^2x^5 - 5u_2x^3 + 2u_3x, \\ b_2(x) &= -168x^{18} - 348u_1x^{16} - 276u_1^2x^{14} + (-116u_1^3 + 14u_2)x^{12} \\ &\quad + (-92u_3 - 20u_1^4 - 8u_1u_2)x^{10} + (-42u_1u_3 - 6u_1^2u_2)x^8 \\ &\quad + (-4u_4 - \frac{10}{3}u_1^2u_3 - \frac{2}{3}u_2^2)x^6 + (\frac{1}{3}u_2u_3 - \frac{2}{3}u_4u_1)x^4, \\ b_3(x) &= x^{27} + 6u_1x^{25} + 15u_1^2x^{23} + (20u_1^3 + u_2)x^{21} + (5u_3 + 4u_1u_2 + 15u_1^4)x^{19} \\ &\quad + (6u_1^2u_2 + 12u_1u_3 + 6u_1^5)x^{17} + (\frac{1}{3}u_2^2 + 5u_4 + 4u_1^3u_2 + \frac{26}{3}u_1^2u_3 + u_1^6)x^{15} \\ &\quad + (\frac{4}{3}u_1^3u_3 + \frac{19}{3}u_4u_1 + u_1^4u_2 + \frac{4}{3}u_2u_3 + \frac{2}{3}u_2^2u_1)x^{13} \\ &\quad + (\frac{1}{3}u_1^2u_2^2 - \frac{1}{3}u_1^4u_3 - \frac{15}{4}u_3^2 + 3u_4u_1^2)x^{11} \\ &\quad + (\frac{1}{3}u_4u_2 - \frac{4}{9}u_1^2u_2u_3 + \frac{1}{27}u_2^3 - \frac{13}{6}u_3^2u_1 + \frac{13}{27}u_4u_1^3)x^9 \\ &\quad + (-\frac{1}{9}u_2^2u_3 - \frac{1}{2}u_4u_3 + \frac{1}{9}u_4u_1u_2 - \frac{7}{36}u_1^2u_3^2)x^7 + (\frac{1}{12}u_3^2u_2 - \frac{1}{6}u_4u_1u_3)x^5 \\ &\quad + (-\frac{1}{54}u_3^3 - \frac{1}{108}u_4^2)x^3. \end{aligned} \quad (\text{A.3})$$

The degrees of several objects, induced by the grading in section 2.2, are given in the following table:

$[p]$	$[q]$	$[a]$	$[b]$	$[c]$	$[W]$	$[\partial_x W]$	$[\phi_1]$	$[\phi_2]$	$[\phi_3]$	$[\phi_4]$
18	27	27	27	27	9	8	7	3	1	-3

<sup>4</sup>Note that we have corrected a misprint in [12] by adding a factor  $\frac{1}{2}$  in the cube roots.

## B Proof of proposition 1

The  $\phi_i$  are of the form

$$\begin{aligned}
\phi_i &= -\frac{\partial W}{\partial u_i} = -\frac{\partial}{\partial u_i} \left( \frac{b_1}{24} - \frac{1}{2p}(a+b) \right) = -\frac{1}{24} \frac{\partial b_1}{\partial u_i} - \frac{1}{2p^2}(a+b) + \frac{1}{2p} \frac{\partial}{\partial u_i}(a+b) \\
&= -\frac{1}{24} \frac{\partial b_1}{\partial u_i} - \frac{1}{2p^2}(a+b) + \frac{1}{2p^2}(a+b) + \\
&\quad \frac{p^2}{6a^2} \left( -\frac{1}{2} \frac{\partial q}{\partial u_i} + \frac{1}{4c} \frac{\partial}{\partial u_i}(q^2 + 4p^3) \right) + \frac{p^2}{6b^2} \left( -\frac{1}{2} \frac{\partial q}{\partial u_i} - \frac{1}{4c} \frac{\partial}{\partial u_i}(q^2 + 4p^3) \right) \\
&= -\frac{1}{24} \frac{\partial b_1}{\partial u_i} + \frac{p^3}{6a^2} \left( -\frac{1}{2} \frac{\partial q}{\partial u_i} + \frac{q}{2c} \frac{\partial q}{\partial u_i} + \frac{3p^2}{c} \frac{\partial p}{\partial u_i} \right) + \frac{p^3}{6b^2} \left( -\frac{1}{2} \frac{\partial q}{\partial u_i} - \frac{q}{2c} \frac{\partial q}{\partial u_i} - \frac{3p^2}{c} \frac{\partial p}{\partial u_i} \right)
\end{aligned} \tag{B.1}$$

Now we use the relations (I.1) – (I.4) to see that

$$\begin{aligned}
\frac{1}{a^2} &= \frac{2}{b(q-c)} = \frac{2(q+c)}{b(q-c)(q+c)} = \frac{-(q+c)}{2bp^3} = -\frac{q}{2p^3b} - \frac{q^2+4p^3}{2p^3bc} \\
\frac{1}{a^2c} &= \frac{1}{c} \left( -\frac{q}{2p^3b} - \frac{q^2+4p^3}{2p^3bc} \right) = -\frac{q}{2p^3bc} - \frac{1}{2p^3b}
\end{aligned} \tag{B.2}$$

In a similar way one derives

$$\begin{aligned}
\frac{1}{b^2} &= \frac{-q}{2p^3a} + \frac{q^2+4p^3}{2p^3ac} \\
\frac{1}{b^2c} &= -\frac{q}{2p^3ac} + \frac{1}{2p^3a}
\end{aligned} \tag{B.3}$$

Using these equations in (B.1) yields

$$\begin{aligned}
\phi_i &= -\frac{1}{24} \frac{\partial b_1}{\partial u_i} + \frac{1}{6} \left( -\frac{q}{2b} - \frac{q^2+4p^3}{2bc} \right) \left( -\frac{1}{2} \frac{\partial q}{\partial u_i} \right) + \frac{1}{6} \left( -\frac{q}{2bc} - \frac{1}{2b} \right) \left( \frac{q}{2} \frac{\partial q}{\partial u_i} + 3p^2 \frac{\partial p}{\partial u_i} \right) \\
&\quad + \frac{1}{6} \left( -\frac{q}{2a} + \frac{q^2+4p^3}{2ac} \right) \left( -\frac{1}{2} \frac{\partial q}{\partial u_i} \right) + \frac{1}{6} \left( -\frac{q}{2ac} + \frac{1}{2a} \right) \left( -\frac{q}{2} \frac{\partial q}{\partial u_i} - 3p^2 \frac{\partial p}{\partial u_i} \right)
\end{aligned} \tag{B.4}$$

and therefore the  $\tilde{\phi}_i = abc\phi_i$  are polynomials in  $x, a, b, c$ .

## C The modulo part of the algebra

In section 2.3 we already wrote down the structure constants of the algebra  $A$ , which were obtained from the multiplication structure (2.13). The  $\tilde{Q}_{ij}$  were also calculated and are written down below. It can be checked explicitly from these expressions that the grading (and therefore the symmetry) of section 2.2 is respected.



$$\begin{aligned}
\tilde{Q}_{11} = & x^2(-49572 u_2 u_1^2 x^3 - 944784 u_3 x^5 + 116640 u_1^4 x^5 + 472392 u_2 x^7 + 9720 u_3 u_1^2 x \\
& + 64800 u_1^5 x^3 + 188484408 x^{13} + 25404192 u_1^2 x^9 + 81648 u_1^3 x^7 \\
& - 192456 u_3 u_1 x^3 + 135104112 u_1 x^{11} - 78732 u_2 u_1 x^5) a p c + x^2( \\
& 296544078 u_3^2 x^{24} + 66156000 u_1^{10} x^{20} - 10139894280 u_3 x^{32} - 4209012720 u_2 x^{34} \\
& + 3300000 u_1^{11} x^{18} + 354294 u_4^2 x^{16} + 5300813664 u_1^7 x^{26} + 2462516640 u_1^8 x^{24} \\
& - 1084139640 u_4 x^{28} - 161467364736 u_1^3 x^{34} + 557067600 u_1^9 x^{22} \\
& - 10628820 u_2^3 x^{22} - 469793844 u_2^2 x^{28} - 35317075680 u_1^5 x^{30} \\
& - 80736516720 u_1 x^{38} - 103801685976 u_1^4 x^{32} - 2650644 u_3^3 x^{16} \\
& - 150907986360 u_1^2 x^{36} - 439295400 u_1^6 x^{28} + 20412 u_3^4 x^8 - 19629304776 x^{40} \\
& + 972 u_4^2 u_3 x^8 - 4374 u_4^2 u_2 x^{10} + 200 u_4^2 u_1^5 x^6 + 1560 u_4^2 u_1^4 x^8 - 5508 u_4^2 u_1^3 x^{10} \\
& - 7128 u_4^2 u_1^2 x^{12} + 172044 u_4^2 u_1 x^{14} + 324 u_4 u_3^3 x^4 + 34992 u_4 u_3^2 x^{12} \\
& + 22753548 u_4 u_3 x^{20} + 511758 u_4 u_2^2 x^{16} - 17242308 u_4 u_2 x^{22} - 52000 u_4 u_1^8 x^{12} \\
& - 698400 u_4 u_1^7 x^{14} - 2843280 u_4 u_1^6 x^{16} + 24624 u_4 u_1^5 x^{18} + 5466528 u_4 u_1^4 x^{20} \\
& - 158391288 u_4 u_1^3 x^{22} - 825006384 u_4 u_1^2 x^{24} - 1561727952 u_4 u_1 x^{26} \\
& + 4860 u_3^4 u_1 x^6 - 90396 u_3^3 u_2 x^{10} - 3000 u_3^3 u_1^5 x^6 - 22050 u_3^3 u_1^4 x^8 \\
& - 157950 u_3^3 u_1^3 x^{10} - 963738 u_3^3 u_1^2 x^{12} + 249908490 u_3^2 u_1^2 x^{20} \\
& + 69289992 u_3^2 u_1^3 x^{18} - 609535368 u_3 u_1^5 x^{22} + 5357340 u_3^2 u_1^5 x^{14} \\
& - 2550042 u_3^3 u_1 x^{14} + 454677300 u_3^2 u_1 x^{22} + 16795512 u_3^2 u_1^4 x^{16} \\
& + 1213200 u_3^2 u_1^6 x^{12} + 133407 u_3^2 u_2^2 x^{12} - 7576695288 u_3 u_1^3 x^{26} \\
& - 317514168 u_3 u_1^6 x^{20} + 5380020 u_3 u_2^2 u_1^2 x^{16} - 13122 u_4 u_2 u_1 x^{20} \\
& + 8800 u_4 u_3 u_1^6 x^8 - 290142 u_4 u_3 u_2 u_1 x^{12} + 729 u_4 u_3 u_2^2 x^8 + 108 u_4 u_3^2 u_2 u_1 x^4 \\
& + 486 u_4^2 u_3 u_1 x^6 + 339714 u_4 u_2^2 u_1 x^{14} + 58320 u_4 u_2^2 u_1^2 x^{12} - 411156 u_4 u_3 u_2 x^{14} \\
& - 40500 u_4 u_3 u_2 u_1^2 x^{10} + 27 u_4^2 u_2 u_1^2 x^6 + 33966 u_3 u_2^2 u_1^4 x^{12} \\
& + 84120 u_4 u_3 u_1^5 x^{10} + 600 u_4 u_3 u_2 u_1^4 x^6 + 1117557 u_3^2 u_2 u_1 x^{16} \\
& - 1701 u_3^2 u_2^2 u_1 x^{10} + 10660896 u_4 u_2 u_1^2 x^{18} + 2916 u_4 u_2^2 u_1^3 x^{10} \\
& + 243 u_4 u_2^3 u_1 x^8 + 16008840 u_4 u_3 u_1 x^{18} + 1335528 u_4 u_3 u_1^2 x^{16} \\
& - 662904 u_4 u_3 u_1^3 x^{14} + 128088 u_4 u_3 u_1^4 x^{12} + 378 u_4 u_3 u_2 u_1^3 x^8 \\
& - 324 u_4 u_3 u_2^2 u_1 x^6 - 103609800 u_3 u_1^7 x^{18} - 85739148 u_3 u_2 x^{26} \\
& + 9526572 u_3 u_2^2 x^{20} - 65610 u_3 u_2^3 x^{14} + 2322594 u_3^2 u_2 x^{18} - 16869000 u_3 u_1^8 x^{16} \\
& - 90 u_4^2 u_3 u_1^2 x^4 + 12600 u_3^2 u_2 u_1^5 x^8 + 1620 u_3^3 u_2 u_1^2 x^6 - 1847280168 u_3 u_1^4 x^{24} \\
& - 1088000 u_3 u_1^9 x^{14} - 18275901696 u_3 u_1^2 x^{28} - 21857105448 u_3 u_1 x^{30} \\
& - 4374 u_2^4 u_1^2 x^{12} - 21870 u_2^4 u_1 x^{14} + 8100 u_2^3 u_1^5 x^{12} - 47466 u_2^3 u_1^4 x^{14} \\
& - 1045386 u_2^3 u_1^3 x^{16} - 4850766 u_2^3 u_1^2 x^{18} - 11271798 u_2^3 u_1 x^{20} \\
& + 189900 u_2^2 u_1^7 x^{14} + 1387260 u_2^2 u_1^6 x^{16} - 4186404 u_2^2 u_1^5 x^{18} \\
& - 78687288 u_2^2 u_1^4 x^{20} - 365456448 u_2^2 u_1^3 x^{22} - 824350284 u_2^2 u_1^2 x^{24} \\
& - 940296276 u_2^2 u_1 x^{26} + 1398000 u_2 u_1^9 x^{16} + 20144700 u_2 u_1^8 x^{18} \\
& + 96375420 u_2 u_1^7 x^{20} + 8636868 u_2 u_1^6 x^{22} - 1810395684 u_2 u_1^5 x^{24} \\
& - 8360778528 u_2 u_1^4 x^{26} - 18678222216 u_2 u_1^3 x^{28} - 23109416640 u_2 u_1^2 x^{30} \\
& - 15041906064 u_2 u_1 x^{32} + 275365170 u_3 u_2 u_1^2 x^{22} - 287400 u_3 u_2 u_1^7 x^{12} \\
& + 11481750 u_3 u_2^2 u_1 x^{18} + 1267974 u_3 u_2^2 u_1^3 x^{14} - 17550 u_3 u_2^2 u_1^5 x^{10} \\
& + 9477 u_3 u_2^3 u_1^2 x^{10} - 155925 u_3^2 u_2 u_1^3 x^{12} + 30555 u_3^2 u_2 u_1^4 x^{10} \\
& + 38244312 u_3 u_2 u_1^4 x^{18} - 2633940 u_3 u_2 u_1^6 x^{14} + 31347 u_3 u_2^3 u_1 x^{12} \\
& - 6804 u_3^2 u_2^2 u_1^2 x^8 - 82260 u_4 u_2 u_1^5 x^{12} - 11400 u_4 u_2 u_1^6 x^{10} - 450 u_4 u_2^2 u_1^4 x^8 \\
& - 3761532 u_3 u_2 u_1^5 x^{16} - 32805 u_3^2 u_2 u_1^2 x^{14} - 13608 u_3^3 u_2 u_1 x^8
\end{aligned}$$

$$\begin{aligned}
& + 55624158 u_3 u_2 u_1 x^{24} + 185072688 u_3 u_2 u_1^3 x^{20} + 4138776 u_4 u_2 u_1^3 x^{16} \\
& + 248616 u_4 u_2 u_1^4 x^{14} + 26244 u_4 u_3^2 u_1 x^{10} - 3888 u_4 u_3^2 u_1^2 x^8 - 1980 u_4 u_3^2 u_1^3 x^6 \\
& - 200 u_4 u_3^2 u_1^4 x^4 - 972 u_4 u_3^2 u_2 x^6 + 109000 u_3^2 u_1^7 x^{10} - 1863 u_4^2 u_2 u_1 x^8)ap + x^2 \\
& (-49572 u_2 u_1^2 x^3 - 944784 u_3 x^5 + 116640 u_1^4 x^5 + 472392 u_2 x^7 + 9720 u_3 u_1^2 x \\
& + 64800 u_1^5 x^3 + 188484408 x^{13} + 25404192 u_1^2 x^9 + 81648 u_1^3 x^7 \\
& - 192456 u_3 u_1 x^3 + 135104112 u_1 x^{11} - 78732 u_2 u_1 x^5)bp c + x^2( \\
& - 296544078 u_3^2 x^{24} - 66156000 u_1^{10} x^{20} + 10139894280 u_3 x^{32} \\
& + 4209012720 u_2 x^{34} - 3300000 u_1^{11} x^{18} - 354294 u_4^2 x^{16} - 5300813664 u_1^7 x^{26} \\
& - 2462516640 u_1^8 x^{24} + 1084139640 u_4 x^{28} + 161467364736 u_1^3 x^{34} \\
& - 557067600 u_1^9 x^{22} + 10628820 u_2^3 x^{22} + 469793844 u_2^2 x^{28} \\
& + 35317075680 u_1^5 x^{30} + 80736516720 u_1 x^{38} + 103801685976 u_1^4 x^{32} \\
& + 2650644 u_3^3 x^{16} + 150907986360 u_1^2 x^{36} + 439295400 u_1^6 x^{28} - 20412 u_3^4 x^8 \\
& + 19629304776 x^{40} - 972 u_4^2 u_3 x^8 + 4374 u_4^2 u_2 x^{10} - 200 u_4^2 u_1^5 x^6 \\
& - 1560 u_4^2 u_1^4 x^8 + 5508 u_4^2 u_1^3 x^{10} + 7128 u_4^2 u_1^2 x^{12} - 172044 u_4^2 u_1 x^{14} \\
& - 324 u_4 u_3^3 x^4 - 34992 u_4 u_3^2 x^{12} - 22753548 u_4 u_3 x^{20} - 511758 u_4 u_2^2 x^{16} \\
& + 17242308 u_4 u_2 x^{22} + 52000 u_4 u_1^8 x^{12} + 698400 u_4 u_1^7 x^{14} + 2843280 u_4 u_1^6 x^{16} \\
& - 24624 u_4 u_1^5 x^{18} - 5466528 u_4 u_1^4 x^{20} + 158391288 u_4 u_1^3 x^{22} \\
& + 825006384 u_4 u_1^2 x^{24} + 1561727952 u_4 u_1 x^{26} - 4860 u_3^4 u_1 x^6 + 90396 u_3^3 u_2 x^{10} \\
& + 3000 u_3^3 u_1^5 x^6 + 22050 u_3^3 u_1^4 x^8 + 157950 u_3^3 u_1^3 x^{10} + 963738 u_3^3 u_1^2 x^{12} \\
& - 249908490 u_3^2 u_1^2 x^{20} - 69289992 u_3^2 u_1^3 x^{18} + 609535368 u_3 u_1^5 x^{22} \\
& - 5357340 u_3^2 u_1^5 x^{14} + 2550042 u_3^3 u_1 x^{14} - 454677300 u_3^2 u_1 x^{22} \\
& - 16795512 u_3^2 u_1^4 x^{16} - 1213200 u_3^2 u_1^6 x^{12} - 133407 u_3^2 u_2^2 x^{12} \\
& + 7576695288 u_3 u_1^3 x^{26} + 317514168 u_3 u_1^6 x^{20} - 5380020 u_3 u_2^2 u_1^2 x^{16} \\
& + 13122 u_4 u_2 u_1 x^{20} - 8800 u_4 u_3 u_1^6 x^8 + 290142 u_4 u_3 u_2 u_1 x^{12} - 729 u_4 u_3 u_2^2 x^8 \\
& - 108 u_4 u_3^2 u_2 u_1 x^4 - 486 u_4^2 u_3 u_1 x^6 - 339714 u_4 u_2^2 u_1 x^{14} - 58320 u_4 u_2^2 u_1^2 x^{12} \\
& + 411156 u_4 u_3 u_2 x^{14} + 40500 u_4 u_3 u_2 u_1^2 x^{10} - 27 u_4^2 u_2 u_1^2 x^6 \\
& - 33966 u_3 u_2^2 u_1^4 x^{12} - 84120 u_4 u_3 u_1^5 x^{10} - 600 u_4 u_3 u_2 u_1^4 x^6 \\
& - 1117557 u_3^2 u_2 u_1 x^{16} + 1701 u_3^2 u_2^2 u_1 x^{10} - 10660896 u_4 u_2 u_1^2 x^{18} \\
& - 2916 u_4 u_2^2 u_1^3 x^{10} - 243 u_4 u_2^3 u_1 x^8 - 16008840 u_4 u_3 u_1 x^{18} \\
& - 1335528 u_4 u_3 u_1^2 x^{16} + 662904 u_4 u_3 u_1^3 x^{14} - 128088 u_4 u_3 u_1^4 x^{12} \\
& - 378 u_4 u_3 u_2 u_1^3 x^8 + 324 u_4 u_3 u_2^2 u_1 x^6 + 103609800 u_3 u_1^7 x^{18} \\
& + 85739148 u_3 u_2 x^{26} - 9526572 u_3 u_2^2 x^{20} + 65610 u_3 u_2^3 x^{14} - 2322594 u_3^2 u_2 x^{18} \\
& + 16869000 u_3 u_1^8 x^{16} + 90 u_4^2 u_3 u_1^2 x^4 - 12600 u_3^2 u_2 u_1^5 x^8 - 1620 u_3^3 u_2 u_1^2 x^6 \\
& + 1847280168 u_3 u_1^4 x^{24} + 1088000 u_3 u_1^9 x^{14} + 18275901696 u_3 u_1^2 x^{28} \\
& + 21857105448 u_3 u_1 x^{30} + 4374 u_2^4 u_1^2 x^{12} + 21870 u_2^4 u_1 x^{14} - 8100 u_2^3 u_1^5 x^{12} \\
& + 47466 u_2^3 u_1^4 x^{14} + 1045386 u_2^3 u_1^3 x^{16} + 4850766 u_2^3 u_1^2 x^{18} \\
& + 11271798 u_2^3 u_1 x^{20} - 189900 u_2^2 u_1^7 x^{14} - 1387260 u_2^2 u_1^6 x^{16} \\
& + 4186404 u_2^2 u_1^5 x^{18} + 78687288 u_2^2 u_1^4 x^{20} + 365456448 u_2^2 u_1^3 x^{22} \\
& + 824350284 u_2^2 u_1^2 x^{24} + 940296276 u_2^2 u_1 x^{26} - 1398000 u_2 u_1^9 x^{16} \\
& - 20144700 u_2 u_1^8 x^{18} - 96375420 u_2 u_1^7 x^{20} - 8636868 u_2 u_1^6 x^{22} \\
& + 1810395684 u_2 u_1^5 x^{24} + 8360778528 u_2 u_1^4 x^{26} + 18678222216 u_2 u_1^3 x^{28}
\end{aligned}$$

$$\begin{aligned}
& + 23109416640 u_2 u_1^2 x^{30} + 15041906064 u_2 u_1 x^{32} - 275365170 u_3 u_2 u_1^2 x^{22} \\
& + 287400 u_3 u_2 u_1^7 x^{12} - 11481750 u_3 u_2^2 u_1 x^{18} - 1267974 u_3 u_2^2 u_1^3 x^{14} \\
& + 17550 u_3 u_2^2 u_1^5 x^{10} - 9477 u_3 u_2^3 u_1^2 x^{10} + 155925 u_3^2 u_2 u_1^3 x^{12} \\
& - 30555 u_3^2 u_2 u_1^4 x^{10} - 38244312 u_3 u_2 u_1^4 x^{18} + 2633940 u_3 u_2 u_1^6 x^{14} \\
& - 31347 u_3 u_2^3 u_1 x^{12} + 6804 u_3^2 u_2^2 u_1^2 x^8 + 82260 u_4 u_2 u_1^5 x^{12} \\
& + 11400 u_4 u_2 u_1^6 x^{10} + 450 u_4 u_2^2 u_1^4 x^8 + 3761532 u_3 u_2 u_1^5 x^{16} \\
& + 32805 u_3^2 u_2 u_1^2 x^{14} + 13608 u_3^3 u_2 u_1 x^8 - 55624158 u_3 u_2 u_1 x^{24} \\
& - 185072688 u_3 u_2 u_1^3 x^{20} - 4138776 u_4 u_2 u_1^3 x^{16} - 248616 u_4 u_2 u_1^4 x^{14} \\
& - 26244 u_4 u_3^2 u_1 x^{10} + 3888 u_4 u_3^2 u_1^2 x^8 + 1980 u_4 u_3^2 u_1^3 x^6 + 200 u_4 u_3^2 u_1^4 x^4 \\
& + 972 u_4 u_3^2 u_2 x^6 - 109000 u_3^2 u_1^7 x^{10} + 1863 u_4^2 u_2 u_1 x^8) b p \\
& + x^2 (-1049760 u_1 x^2 + 116640 u_1^2 - 3779136 x^4) p c
\end{aligned}$$

$$\begin{aligned}
\tilde{Q}_{12} = & x^2 (571536 u_1 x^7 + 1627128 x^9 + 2916 u_2 x^3 - 12960 u_1^3 x^3 - 23328 u_1^2 x^5 - 1944 u_3 x) a p c \\
& + x^2 (3078 u_4^2 x^{12} + 141481404 u_2 x^{30} - 1637808336 u_1^5 x^{26} - 13231200 u_1^8 x^{20} \\
& - 2379123576 u_1^2 x^{32} - 756771984 u_1 x^{34} - 551785608 u_1^6 x^{24} + 3319866 u_2^2 x^{24} \\
& - 3052043064 u_1^4 x^{28} - 9500328 u_4 x^{24} - 660000 u_1^9 x^{18} - 21870 u_2^3 x^{18} \\
& - 3524149296 u_1^3 x^{30} + 1981422 u_3^2 x^{20} + 18 u_4^2 u_3 x^4 + 1296 u_4 u_3^2 x^8 \\
& - 40 u_4^2 u_1^3 x^6 - 27 u_4^2 u_2 x^6 + 324 u_4^2 u_1 x^{10} - 312 u_4^2 u_1^2 x^8 + 177876 u_4 u_3 x^{16} \\
& + 2673 u_4 u_2^2 x^{12} - 239112 u_4 u_2 x^{18} + 10400 u_4 u_1^6 x^{12} + 139680 u_4 u_1^5 x^{14} \\
& + 677520 u_4 u_1^4 x^{16} + 932472 u_4 u_1^3 x^{18} - 2639952 u_4 u_1^2 x^{20} - 9867744 u_4 u_1 x^{22} \\
& + 600 u_3^3 u_1^3 x^6 + 4410 u_3^3 u_1^2 x^8 + 10368 u_3^3 u_1 x^{10} - 3726 u_4 u_3 u_2 x^{10} \\
& - 1026 u_4 u_3 u_2 u_1 x^8 - 120 u_4 u_3 u_2 u_1^2 x^6 + 396 u_4 u_3^2 u_1 x^6 + 40 u_4 u_3^2 u_1^2 x^4 \\
& - 1760 u_4 u_3 u_1^4 x^8 - 16824 u_4 u_3 u_1^3 x^{10} - 46224 u_4 u_3 u_1^2 x^{12} + 27216 u_4 u_3 u_1 x^{14} \\
& - 40095 u_3^2 u_2 x^{14} - 21800 u_3^2 u_1^5 x^{10} - 242640 u_3^2 u_1^4 x^{12} - 941868 u_3^2 u_1^3 x^{14} \\
& - 1268622 u_3^2 u_1^2 x^{16} + 609444 u_3^2 u_1 x^{18} + 51759 u_3 u_2^2 x^{16} - 5143824 u_3 u_2 x^{22} \\
& + 217600 u_3 u_1^7 x^{14} + 3373800 u_3 u_1^6 x^{16} + 20879424 u_3 u_1^5 x^{18} \\
& + 63603144 u_3 u_1^4 x^{20} + 85913136 u_3 u_1^3 x^{22} - 5528736 u_3 u_1^2 x^{24} \\
& - 143607168 u_3 u_1 x^{26} - 1620 u_2^3 u_1^3 x^{12} - 11016 u_2^3 u_1^2 x^{14} - 18954 u_2^3 u_1 x^{16} \\
& - 37980 u_2^2 u_1^5 x^{14} - 428436 u_2^2 u_1^4 x^{16} - 1700514 u_2^2 u_1^3 x^{18} \\
& - 2656962 u_2^2 u_1^2 x^{20} + 118098 u_2^2 u_1 x^{22} - 279600 u_2 u_1^7 x^{16} - 4385340 u_2 u_1^6 x^{18} \\
& - 27641736 u_2 u_1^5 x^{20} - 88159752 u_2 u_1^4 x^{22} - 136553364 u_2 u_1^3 x^{24} \\
& - 47991528 u_2 u_1^2 x^{26} + 128254428 u_2 u_1 x^{28} + 90 u_4 u_2^2 u_1^2 x^8 + 648 u_4 u_2^2 u_1 x^{10} \\
& + 2280 u_4 u_2 u_1^4 x^{10} + 22068 u_4 u_2 u_1^3 x^{12} + 69444 u_4 u_2 u_1^2 x^{14} - 10206 u_4 u_2 u_1 x^{16} \\
& - 2520 u_3^2 u_2 u_1^3 x^8 - 17883 u_3^2 u_2 u_1^2 x^{10} - 39042 u_3^2 u_2 u_1 x^{12} + 3510 u_3 u_2^2 u_1^3 x^{10} \\
& + 24246 u_3 u_2^2 u_1^2 x^{12} + 47871 u_3 u_2^2 u_1 x^{14} + 57480 u_3 u_2 u_1^5 x^{12} \\
& + 644292 u_3 u_2 u_1^4 x^{14} + 2541888 u_3 u_2 u_1^3 x^{16} + 3720330 u_3 u_2 u_1^2 x^{18} \\
& - 113979600 u_1^7 x^{22} - 122821920 u_3 x^{28} + 10206 u_3^3 x^{12} + 80779032 x^{36} \\
& - 905418 u_3 u_2 u_1 x^{20}) a p + x^2 ( \\
& 571536 u_1 x^7 + 1627128 x^9 + 2916 u_2 x^3 - 12960 u_1^3 x^3 - 23328 u_1^2 x^5 - 1944 u_3 x) \\
& b p c + x^2 (-3078 u_4^2 x^{12} - 141481404 u_2 x^{30} + 1637808336 u_1^5 x^{26} \\
& + 13231200 u_1^8 x^{20} + 2379123576 u_1^2 x^{32} + 756771984 u_1 x^{34} + 551785608 u_1^6 x^{24} \\
& - 3319866 u_2^2 x^{24} + 3052043064 u_1^4 x^{28} + 9500328 u_4 x^{24} + 660000 u_1^9 x^{18}
\end{aligned}$$

$$\begin{aligned}
& + 21870 u_2^3 x^{18} + 3524149296 u_1^3 x^{30} - 1981422 u_3^2 x^{20} - 18 u_4^2 u_3 x^4 \\
& - 1296 u_4 u_3^2 x^8 + 40 u_4^2 u_1^3 x^6 + 27 u_4^2 u_2 x^6 - 324 u_4^2 u_1 x^{10} + 312 u_4^2 u_1^2 x^8 \\
& - 177876 u_4 u_3 x^{16} - 2673 u_4 u_2^2 x^{12} + 239112 u_4 u_2 x^{18} - 10400 u_4 u_1^6 x^{12} \\
& - 139680 u_4 u_1^5 x^{14} - 677520 u_4 u_1^4 x^{16} - 932472 u_4 u_1^3 x^{18} + 2639952 u_4 u_1^2 x^{20} \\
& + 9867744 u_4 u_1 x^{22} - 600 u_3^3 u_1^3 x^6 - 4410 u_3^3 u_1^2 x^8 - 10368 u_3^3 u_1 x^{10} \\
& + 3726 u_4 u_3 u_2 x^{10} + 1026 u_4 u_3 u_2 u_1 x^8 + 120 u_4 u_3 u_2 u_1^2 x^6 - 396 u_4 u_3^2 u_1 x^6 \\
& - 40 u_4 u_3^2 u_1^2 x^4 + 1760 u_4 u_3 u_1^4 x^8 + 16824 u_4 u_3 u_1^3 x^{10} + 46224 u_4 u_3 u_1^2 x^{12} \\
& - 27216 u_4 u_3 u_1 x^{14} + 40095 u_3^2 u_2 x^{14} + 21800 u_3^2 u_1^5 x^{10} + 242640 u_3^2 u_1^4 x^{12} \\
& + 941868 u_3^2 u_1^3 x^{14} + 1268622 u_3^2 u_1^2 x^{16} - 609444 u_3^2 u_1 x^{18} - 51759 u_3 u_2^2 x^{16} \\
& + 5143824 u_3 u_2 x^{22} - 217600 u_3 u_1^7 x^{14} - 3373800 u_3 u_1^6 x^{16} - 20879424 u_3 u_1^5 x^{18} \\
& - 63603144 u_3 u_1^4 x^{20} - 85913136 u_3 u_1^3 x^{22} + 5528736 u_3 u_1^2 x^{24} \\
& + 143607168 u_3 u_1 x^{26} + 1620 u_2^3 u_1^3 x^{12} + 11016 u_2^3 u_1^2 x^{14} + 18954 u_2^3 u_1 x^{16} \\
& + 37980 u_2^2 u_1^5 x^{14} + 428436 u_2^2 u_1^4 x^{16} + 1700514 u_2^2 u_1^3 x^{18} \\
& + 2656962 u_2^2 u_1^2 x^{20} - 118098 u_2^2 u_1 x^{22} + 279600 u_2 u_1^7 x^{16} + 4385340 u_2 u_1^6 x^{18} \\
& + 27641736 u_2 u_1^5 x^{20} + 88159752 u_2 u_1^4 x^{22} + 136553364 u_2 u_1^3 x^{24} \\
& + 47991528 u_2 u_1^2 x^{26} - 128254428 u_2 u_1 x^{28} - 90 u_4 u_2^2 u_1^2 x^8 - 648 u_4 u_2^2 u_1 x^{10} \\
& - 2280 u_4 u_2 u_1^4 x^{10} - 22068 u_4 u_2 u_1^3 x^{12} - 69444 u_4 u_2 u_1^2 x^{14} + 10206 u_4 u_2 u_1 x^{16} \\
& + 2520 u_3^2 u_2 u_1^3 x^8 + 17883 u_3^2 u_2 u_1^2 x^{10} + 39042 u_3^2 u_2 u_1 x^{12} - 3510 u_3 u_2^2 u_1^3 x^{10} \\
& - 24246 u_3 u_2^2 u_1^2 x^{12} - 47871 u_3 u_2^2 u_1 x^{14} - 57480 u_3 u_2 u_1^5 x^{12} \\
& - 644292 u_3 u_2 u_1^4 x^{14} - 2541888 u_3 u_2 u_1^3 x^{16} - 3720330 u_3 u_2 u_1^2 x^{18} \\
& + 113979600 u_1^7 x^{22} + 122821920 u_3 x^{28} - 10206 u_3^3 x^{12} - 80779032 x^{36} \\
& + 905418 u_3 u_2 u_1 x^{20})bp - 23328 x^2 p c
\end{aligned}$$

$$\begin{aligned}
\tilde{Q}_{22} = & x^5 (8748 x^2 + 1296 u_1) a p c + x^5 (82087344 u_1^3 x^{23} + 2090772 u_2 x^{23} + 105462 u_2^2 x^{17} \\
& - 39852 u_4 x^{17} + 36388116 u_1^4 x^{21} + 66000 u_1^7 x^{15} - 1513404 u_3 x^{21} - 252 u_3^3 x^5 \\
& + 1198380 u_1^6 x^{17} + 94842900 u_1^2 x^{25} + 9033408 u_1^5 x^{19} + 33592320 u_1 x^{27} \\
& + 15 u_4^2 x^5 + 810 u_2^3 x^{11} - 2214 u_4 u_2 x^{11} - 1551312 u_3 u_1^3 x^{15} - 19446804 x^{29} \\
& - 3901932 u_3 u_1^2 x^{17} - 4492584 u_3 u_1 x^{19} + 162 u_2^3 u_1 x^9 + 3798 u_2^2 u_1^3 x^{11} \\
& + 36396 u_2^2 u_1^2 x^{13} + 107892 u_2^2 u_1 x^{15} + 27960 u_2 u_1^5 x^{13} + 389610 u_2 u_1^4 x^{15} \\
& + 2080242 u_2 u_1^3 x^{17} + 5323482 u_2 u_1^2 x^{19} + 6227118 u_2 u_1 x^{21} + 176 u_4 u_3 u_1^2 x^5 \\
& + 1020 u_4 u_3 u_1 x^7 - 228 u_4 u_2 u_1^2 x^7 - 1359 u_4 u_2 u_1 x^9 + 252 u_3^2 u_2 u_1 x^5 \\
& - 351 u_3 u_2^2 u_1 x^7 - 5748 u_3 u_2 u_1^3 x^9 - 53289 u_3 u_2 u_1^2 x^{11} - 154575 u_3 u_2 u_1 x^{13} \\
& - 1040 u_4 u_1^4 x^9 - 11052 u_4 u_1^3 x^{11} - 43776 u_4 u_1^2 x^{13} - 73872 u_4 u_1 x^{15} \\
& - 60 u_3^3 u_1 x^3 + 1116 u_3^2 u_2 x^7 + 2180 u_3^2 u_1^3 x^7 + 19557 u_3^2 u_1^2 x^9 \\
& + 55404 u_3^2 u_1 x^{11} - 1647 u_3 u_2^2 x^9 - 147258 u_3 u_2 x^{15} - 21760 u_3 u_1^5 x^{11} \\
& - 296016 u_3 u_1^4 x^{13} + 4 u_4^2 u_1 x^3 - 4 u_4 u_3^2 x + 1566 u_4 u_3 x^9 - 9 u_4 u_2^2 x^5 \\
& + 12 u_4 u_3 u_2 x^3 + 51435 u_3^2 x^{13}) a p + x^5 (8748 x^2 + 1296 u_1) b p c + x^5 ( \\
& - 82087344 u_1^3 x^{23} - 2090772 u_2 x^{23} - 105462 u_2^2 x^{17} + 39852 u_4 x^{17} \\
& - 36388116 u_1^4 x^{21} - 66000 u_1^7 x^{15} + 1513404 u_3 x^{21} + 252 u_3^3 x^5 \\
& - 1198380 u_1^6 x^{17} - 94842900 u_1^2 x^{25} - 9033408 u_1^5 x^{19} - 33592320 u_1 x^{27} \\
& - 15 u_4^2 x^5 - 810 u_2^3 x^{11} + 2214 u_4 u_2 x^{11} + 1551312 u_3 u_1^3 x^{15} + 19446804 x^{29} \\
& + 3901932 u_3 u_1^2 x^{17} + 4492584 u_3 u_1 x^{19} - 162 u_2^3 u_1 x^9 - 3798 u_2^2 u_1^3 x^{11} \\
& - 36396 u_2^2 u_1^2 x^{13} - 107892 u_2^2 u_1 x^{15} - 27960 u_2 u_1^5 x^{13} - 389610 u_2 u_1^4 x^{15} \\
& - 2080242 u_2 u_1^3 x^{17} - 5323482 u_2 u_1^2 x^{19} - 6227118 u_2 u_1 x^{21} - 176 u_4 u_3 u_1^2 x^5 \\
& - 1020 u_4 u_3 u_1 x^7 + 228 u_4 u_2 u_1^2 x^7 + 1359 u_4 u_2 u_1 x^9 - 252 u_3^2 u_2 u_1 x^5 \\
& + 351 u_3 u_2^2 u_1 x^7 + 5748 u_3 u_2 u_1^3 x^9 + 53289 u_3 u_2 u_1^2 x^{11} + 154575 u_3 u_2 u_1 x^{13} \\
& + 1040 u_4 u_1^4 x^9 + 11052 u_4 u_1^3 x^{11} + 43776 u_4 u_1^2 x^{13} + 73872 u_4 u_1 x^{15} \\
& + 60 u_3^3 u_1 x^3 - 1116 u_3^2 u_2 x^7 - 2180 u_3^2 u_1^3 x^7 - 19557 u_3^2 u_1^2 x^9 \\
& - 55404 u_3^2 u_1 x^{11} + 1647 u_3 u_2^2 x^9 + 147258 u_3 u_2 x^{15} + 21760 u_3 u_1^5 x^{11} \\
& + 296016 u_3 u_1^4 x^{13} - 4 u_4^2 u_1 x^3 + 4 u_4 u_3^2 x - 1566 u_4 u_3 x^9 + 9 u_4 u_2^2 x^5 \\
& - 12 u_4 u_3 u_2 x^3 - 51435 u_3^2 x^{13}) b p
\end{aligned}$$

$$\begin{aligned}
\tilde{Q}_{13} = & x^5(-2592 u_1^2 - 75816 x^4 - 31104 u_1 x^2) ap c + x^5(-790725888 u_1^3 x^{25} - 968246136 u_1^2 x^{27} \\
& - 549666 u_3^2 x^{15} - 400885848 u_1^4 x^{23} + 577368 u_4 x^{19} + 2268 u_3^3 x^7 \\
& + 26401464 u_3 x^{23} - 162 u_4^2 x^7 - 128127744 u_1^5 x^{21} - 37004040 u_2 x^{25} \\
& - 25216200 u_1^6 x^{19} - 1124118 u_2^2 x^{19} - 7290 u_2^3 x^{13} - 691581888 u_1 x^{29} \\
& - 132000 u_1^8 x^{15} - 2788800 u_1^7 x^{17} + 150048 u_3 u_2 u_1^3 x^{11} + 727110 u_3 u_2 u_1^2 x^{13} \\
& + 1632474 u_3 u_2 u_1 x^{15} - 242337096 x^{31} - 8 u_4^2 u_1^2 x^3 - 48 u_4^2 u_1 x^5 + 36 u_4 u_3^2 x^3 \\
& - 17172 u_4 u_3 x^{11} + 81 u_4 u_2^2 x^7 + 24300 u_4 u_2 x^{13} + 2080 u_4 u_1^5 x^9 \\
& + 27648 u_4 u_1^4 x^{11} + 155592 u_4 u_1^3 x^{13} + 478224 u_4 u_1^2 x^{15} + 777600 u_4 u_1 x^{17} \\
& + 120 u_3^3 u_1^2 x^3 + 1044 u_3^3 u_1 x^5 - 10044 u_3^2 u_2 x^9 - 4360 u_3^2 u_1^4 x^7 \\
& - 55224 u_3^2 u_1^3 x^9 - 263574 u_3^2 u_1^2 x^{11} - 586440 u_3^2 u_1 x^{13} + 14823 u_3 u_2^2 x^{11} \\
& + 1571724 u_3 u_2 x^{17} + 43520 u_3 u_1^6 x^{11} + 734592 u_3 u_1^5 x^{13} + 5109696 u_3 u_1^4 x^{15} \\
& + 19070640 u_3 u_1^3 x^{17} + 40857048 u_3 u_1^2 x^{19} + 48358944 u_3 u_1 x^{21} - 324 u_2^3 u_1^2 x^9 \\
& - 3078 u_2^3 u_1 x^{11} - 7596 u_2^2 u_1^4 x^{11} - 102114 u_2^2 u_1^3 x^{13} - 503010 u_2^2 u_1^2 x^{15} \\
& - 1136754 u_2^2 u_1 x^{17} - 55920 u_2 u_1^6 x^{13} - 968112 u_2 u_1^5 x^{15} - 6839964 u_2 u_1^4 x^{17} \\
& - 25753788 u_2 u_1^3 x^{19} - 55634364 u_2 u_1^2 x^{21} - 66441060 u_2 u_1 x^{23} \\
& - 3120 u_4 u_3 u_1^2 x^7 - 352 u_4 u_3 u_1^3 x^5 - 108 u_4 u_3 u_2 x^5 - 24 u_4 u_3 u_2 u_1 x^3 \\
& + 8 u_4 u_3^2 u_1 x - 11016 u_4 u_3 u_1 x^9 + 18 u_4 u_2^2 u_1 x^5 + 456 u_4 u_2 u_1^3 x^7 \\
& + 4176 u_4 u_2 u_1^2 x^9 + 14634 u_4 u_2 u_1 x^{11} - 504 u_3^2 u_2 u_1^2 x^5 - 4500 u_3^2 u_2 u_1 x^7 \\
& + 702 u_3 u_2^2 u_1^2 x^7 + 6453 u_3 u_2^2 u_1 x^9 + 11496 u_3 u_2 u_1^4 x^9) ap \\
& + x^5(-2592 u_1^2 - 75816 x^4 - 31104 u_1 x^2) bp c + x^5(790725888 u_1^3 x^{25} \\
& + 968246136 u_1^2 x^{27} + 549666 u_3^2 x^{15} + 400885848 u_1^4 x^{23} - 577368 u_4 x^{19} \\
& - 2268 u_3^3 x^7 - 26401464 u_3 x^{23} + 162 u_4^2 x^7 + 128127744 u_1^5 x^{21} \\
& + 37004040 u_2 x^{25} + 25216200 u_1^6 x^{19} + 1124118 u_2^2 x^{19} + 7290 u_2^3 x^{13} \\
& + 691581888 u_1 x^{29} + 132000 u_1^8 x^{15} + 2788800 u_1^7 x^{17} - 150048 u_3 u_2 u_1^3 x^{11} \\
& - 727110 u_3 u_2 u_1^2 x^{13} - 1632474 u_3 u_2 u_1 x^{15} + 242337096 x^{31} + 8 u_4^2 u_1^2 x^3 \\
& + 48 u_4^2 u_1 x^5 - 36 u_4 u_3^2 x^3 + 17172 u_4 u_3 x^{11} - 81 u_4 u_2^2 x^7 - 24300 u_4 u_2 x^{13} \\
& - 2080 u_4 u_1^5 x^9 - 27648 u_4 u_1^4 x^{11} - 155592 u_4 u_1^3 x^{13} - 478224 u_4 u_1^2 x^{15} \\
& - 777600 u_4 u_1 x^{17} - 120 u_3^3 u_1^2 x^3 - 1044 u_3^3 u_1 x^5 + 10044 u_3^2 u_2 x^9 \\
& + 4360 u_3^2 u_1^4 x^7 + 55224 u_3^2 u_1^3 x^9 + 263574 u_3^2 u_1^2 x^{11} + 586440 u_3^2 u_1 x^{13} \\
& - 14823 u_3 u_2^2 x^{11} - 1571724 u_3 u_2 x^{17} - 43520 u_3 u_1^6 x^{11} - 734592 u_3 u_1^5 x^{13} \\
& - 5109696 u_3 u_1^4 x^{15} - 19070640 u_3 u_1^3 x^{17} - 40857048 u_3 u_1^2 x^{19} \\
& - 48358944 u_3 u_1 x^{21} + 324 u_2^3 u_1^2 x^9 + 3078 u_2^3 u_1 x^{11} + 7596 u_2^2 u_1^4 x^{11} \\
& + 102114 u_2^2 u_1^3 x^{13} + 503010 u_2^2 u_1^2 x^{15} + 1136754 u_2^2 u_1 x^{17} + 55920 u_2 u_1^6 x^{13} \\
& + 968112 u_2 u_1^5 x^{15} + 6839964 u_2 u_1^4 x^{17} + 25753788 u_2 u_1^3 x^{19} \\
& + 55634364 u_2 u_1^2 x^{21} + 66441060 u_2 u_1 x^{23} + 3120 u_4 u_3 u_1^2 x^7 + 352 u_4 u_3 u_1^3 x^5 \\
& + 108 u_4 u_3 u_2 x^5 + 24 u_4 u_3 u_2 u_1 x^3 - 8 u_4 u_3^2 u_1 x + 11016 u_4 u_3 u_1 x^9 \\
& - 18 u_4 u_2^2 u_1 x^5 - 456 u_4 u_2 u_1^3 x^7 - 4176 u_4 u_2 u_1^2 x^9 - 14634 u_4 u_2 u_1 x^{11} \\
& + 504 u_3^2 u_2 u_1^2 x^5 + 4500 u_3^2 u_2 u_1 x^7 - 702 u_3 u_2^2 u_1^2 x^7 - 6453 u_3 u_2^2 u_1 x^9 \\
& - 11496 u_3 u_2 u_1^4 x^9) bp
\end{aligned}$$

$$\begin{aligned}
\tilde{Q}_{23} = & -108 x^5 a p c + x^5 (195 u_3^2 u_1^2 x^7 - 212 u_4 u_1^3 x^9 - 497016 u_3 u_1 x^{17} + 270 u_2^2 u_1^2 x^{11} \\
& + 2646 u_2^2 u_1 x^{13} - 4113 u_3 u_2 u_1 x^{11} - 459 u_3 u_2 u_1^2 x^9 + 1584 u_3^2 u_1 x^9 \\
& + 7698240 u_1^3 x^{21} - 8100 u_4 x^{15} + u_4^2 x^3 - 2064 u_4 u_1^2 x^{11} - 9126 u_3 u_2 x^{13} \\
& - 2960 u_3 u_1^4 x^{11} + 679266 u_2 u_1 x^{19} - 40944 u_3 u_1^3 x^{13} - 211140 u_3 u_1^2 x^{15} \\
& - 6624 u_4 u_1 x^{13} + 51174 u_2 u_1^3 x^{15} - 33 u_4 u_2 u_1 x^7 + 28 u_4 u_3 u_1 x^5 + 114 u_4 u_3 x^7 \\
& - 473364 u_3 x^{19} + 11220 u_1^6 x^{15} + 1769868 u_1^4 x^{19} + 3486 u_2 u_1^4 x^{13} \\
& + 15457716 x^{27} + 6480 u_2^2 x^{15} + 19199916 u_1^2 x^{23} + 26162352 u_1 x^{25} \\
& + 673596 u_2 x^{21} + 218832 u_1^5 x^{17} + 3213 u_3^2 x^{11} - 162 u_4 u_2 x^9 + 277614 u_2 u_1^2 x^{17}) \\
& a p - 108 x^5 b p c + x^5 (-195 u_3^2 u_1^2 x^7 + 212 u_4 u_1^3 x^9 + 497016 u_3 u_1 x^{17} \\
& - 270 u_2^2 u_1^2 x^{11} - 2646 u_2^2 u_1 x^{13} + 4113 u_3 u_2 u_1 x^{11} + 459 u_3 u_2 u_1^2 x^9 \\
& - 1584 u_3^2 u_1 x^9 - 7698240 u_1^3 x^{21} + 8100 u_4 x^{15} - u_4^2 x^3 + 2064 u_4 u_1^2 x^{11} \\
& + 9126 u_3 u_2 x^{13} + 2960 u_3 u_1^4 x^{11} - 679266 u_2 u_1 x^{19} + 40944 u_3 u_1^3 x^{13} \\
& + 211140 u_3 u_1^2 x^{15} + 6624 u_4 u_1 x^{13} - 51174 u_2 u_1^3 x^{15} + 33 u_4 u_2 u_1 x^7 \\
& - 28 u_4 u_3 u_1 x^5 - 114 u_4 u_3 x^7 + 473364 u_3 x^{19} - 11220 u_1^6 x^{15} - 1769868 u_1^4 x^{19} \\
& - 3486 u_2 u_1^4 x^{13} - 15457716 x^{27} - 6480 u_2^2 x^{15} - 19199916 u_1^2 x^{23} \\
& - 26162352 u_1 x^{25} - 673596 u_2 x^{21} - 218832 u_1^5 x^{17} - 3213 u_3^2 x^{11} + 162 u_4 u_2 x^9 \\
& - 277614 u_2 u_1^2 x^{17}) b p
\end{aligned}$$

$$\begin{aligned}
\tilde{Q}_{33} = & 108 x^3 a p c + x^3 (-195 u_3^2 u_1^2 x^7 + 212 u_4 u_1^3 x^9 + 497016 u_3 u_1 x^{17} - 270 u_2^2 u_1^2 x^{11} \\
& - 2646 u_2^2 u_1 x^{13} + 4113 u_3 u_2 u_1 x^{11} + 459 u_3 u_2 u_1^2 x^9 - 1584 u_3^2 u_1 x^9 \\
& - 7698240 u_1^3 x^{21} + 8100 u_4 x^{15} - u_4^2 x^3 + 2064 u_4 u_1^2 x^{11} + 9126 u_3 u_2 x^{13} \\
& + 2960 u_3 u_1^4 x^{11} - 679266 u_2 u_1 x^{19} + 40944 u_3 u_1^3 x^{13} + 211140 u_3 u_1^2 x^{15} \\
& + 6624 u_4 u_1 x^{13} - 51174 u_2 u_1^3 x^{15} + 33 u_4 u_2 u_1 x^7 - 28 u_4 u_3 u_1 x^5 - 114 u_4 u_3 x^7 \\
& + 473364 u_3 x^{19} - 11220 u_1^6 x^{15} - 1769868 u_1^4 x^{19} - 3486 u_2 u_1^4 x^{13} \\
& - 15457716 x^{27} - 6480 u_2^2 x^{15} - 19199916 u_1^2 x^{23} - 26162352 u_1 x^{25} \\
& - 673596 u_2 x^{21} - 218832 u_1^5 x^{17} - 3213 u_3^2 x^{11} + 162 u_4 u_2 x^9 - 277614 u_2 u_1^2 x^{17}) \\
& a p + 108 x^3 b p c + x^3 (195 u_3^2 u_1^2 x^7 - 212 u_4 u_1^3 x^9 - 497016 u_3 u_1 x^{17} \\
& + 270 u_2^2 u_1^2 x^{11} + 2646 u_2^2 u_1 x^{13} - 4113 u_3 u_2 u_1 x^{11} - 459 u_3 u_2 u_1^2 x^9 \\
& + 1584 u_3^2 u_1 x^9 + 7698240 u_1^3 x^{21} - 8100 u_4 x^{15} + u_4^2 x^3 - 2064 u_4 u_1^2 x^{11} \\
& - 9126 u_3 u_2 x^{13} - 2960 u_3 u_1^4 x^{11} + 679266 u_2 u_1 x^{19} - 40944 u_3 u_1^3 x^{13} \\
& - 211140 u_3 u_1^2 x^{15} - 6624 u_4 u_1 x^{13} + 51174 u_2 u_1^3 x^{15} - 33 u_4 u_2 u_1 x^7 \\
& + 28 u_4 u_3 u_1 x^5 + 114 u_4 u_3 x^7 - 473364 u_3 x^{19} + 11220 u_1^6 x^{15} + 1769868 u_1^4 x^{19} \\
& + 3486 u_2 u_1^4 x^{13} + 15457716 x^{27} + 6480 u_2^2 x^{15} + 19199916 u_1^2 x^{23} \\
& + 26162352 u_1 x^{25} + 673596 u_2 x^{21} + 218832 u_1^5 x^{17} + 3213 u_3^2 x^{11} - 162 u_4 u_2 x^9 \\
& + 277614 u_2 u_1^2 x^{17}) b p
\end{aligned}$$

## References

- [1] N. Seiberg and E. Witten, Nucl. Phys. **B426**, 19 (1994), hep-th/9407087.
- [2] E. Witten, Two-dimensional gravity and intersection theory on moduli space, in *Surveys in differential geometry (Cambridge, MA, 1990)*, pp. 243–310, Lehigh Univ., Bethlehem, PA, 1991.
- [3] R. Dijkgraaf, H. Verlinde, and E. Verlinde, Nucl. Phys. **B352**, 59 (1991).
- [4] G. Bonelli and M. Matone, Phys. Rev. Lett. **77**, 4712 (1996), hep-th/9605090.
- [5] A. Marshakov, A. Mironov, and A. Morozov, Phys. Lett. **B389**, 43 (1996), hep-th/9607109.
- [6] R. Martini and P. K. H. Gragert, J. Nonlinear Math. Phys. **6**, 1 (1999).
- [7] A. P. Veselov, Phys. Lett. **A261**, 297 (1999), hep-th/9902142.
- [8] A. Marshakov, A. Mironov, and A. Morozov, Int. J. Mod. Phys. **A15**, 1157 (2000), hep-th/9701123.
- [9] A. Marshakov, A. Mironov, and A. Morozov, Mod. Phys. Lett. **A12**, 773 (1997), hep-th/9701014.
- [10] K. Ito and S.-K. Yang, Phys. Lett. **B433**, 56 (1998), hep-th/9803126.
- [11] E. Martinec and N. Warner, Nucl. Phys. **B459**, 97 (1996), hep-th/9509161.
- [12] K. Ito, Prog. Theor. Phys. Suppl. **135**, 94 (1999), hep-th/9906023.
- [13] A. Hearn, *REDUCE user's manual (version 3.6)* (The Rand corporation, Santa Monica, 1983).
- [14] M. Monagan, K. Geddes, K. Heal, G. Labahn, and S. Vorkoetter, *Maple V programming guide for release 5* (Springer Verlag, New York, 1998).
- [15] A. Gorsky, I. Krichever, A. Marshakov, A. Mironov, and A. Morozov, Phys. Lett. **B355**, 466 (1995), hep-th/9505035.
- [16] L. Hoevenaars and R. Martini, In preparation .
- [17] J. B. Zuber, Mod. Phys. Lett. **A9**, 749 (1994), hep-th/9312209.